












CREATHERM S

											
Модель		1S35		2S35		1S40		2S40		1S45	
Высота Н (мм)		350		350		400		400		450	
Глубина Т (мм)		50		72		50		72		50	
Вес элемента (кг /el)		0,3		0,6		0,4		0,7		0,4	
ΦL ΔT 50K (Ватт/el)		20		31		22		35		25	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	119	128	187	300	133	132	209	305	147	135
304	8	159	142	250	326	178	148	278	333	196	152
380	10	199	157	312	353	222	164	348	361	245	169
456	12	239	171	374	379	266	180	418	389	294	186
532	14	279	186	437	406	311	195	487	417	343	202
608	16	318	200	499	432	355	211	557	446	392	219
684	18	358	214	562	459	400	227	626	474	441	236
760	20	398	229	624	485	444	242	696	502	490	253
836	22	438	243	686	512	488	258	766	530	539	269
912	24	478	257	749	538	533	274	835	558	588	286
988	26	517	272	811	565	577	290	905	586	637	303
1 064	28	557	286	874	591	622	305	974	615	686	320
1 140	30	597	300	936	618	666	321	1 044	643	735	336
1 216	32	637	315	998	645	710	337	1 114	671	784	353
1 292	34	677	329	1 061	671	755	353	1 183	699	833	370
1 368	36	716	343	1 123	698	799	368	1 253	727	882	387
1 444	38	756	358	1 186	724	844	384	1 322	755	931	403
1 520	40	796	372	1 248	751	888	400	1 392	783	980	420
1 596	42	836	387	1 310	777	932	416	1 462	812	1 029	437
1 672	44	876	401	1 373	804	977	431	1 531	840	1 078	454
1 748	46	915	415	1 435	830	1 021	447	1 601	868	1 127	470
1 824	48	955	430	1 498	857	1 066	463	1 670	896	1 176	487
1 900	50	995	444	1 560	883	1 110	479	1 740	924	1 225	504
1 976	52	1 035	458	1 622	910	1 154	494	1 810	952	1 274	521
2 052	54	1 075	473	1 685	936	1 199	510	1 879	981	1 323	537
2 128	56	1 114	487	1 747	963	1 243	526	1 949	1 009	1 372	554
2 204	58	1 154	501	1 810	989	1 288	542	2 018	1 037	1 421	571
2 280	60	1 194	516	1 872	1 016	1 332	557	2 088	1 065	1 470	588
2 356	62	1 234	530	1 934	1 042	1 376	573	2 158	1 093	1 519	604
2 432	64		544	1 997	1 069	1 421	589	2 227	1 121	1 568	621
2 508	66	1 313	559	2 059	1 095	1 465	604	2 297	1 150	1 617	638
2 584	68	1 353	573	2 122	1 122	1 510	620	2 366	1 178	1 666	655
2 660	70	1 393	587	2 184	1 148	1 554	636	2 436	1 206	1 715	671
2 736	72	1 433	602	2 246	1 175	1 598	652	2 506	1 234	1 764	688
2 812	74	1 473	616	2 309	1 201	1 643	667	2 575	1 262	1 813	705
2 888	76	1 512	631	2 371	1 228	1 687	683	2 645	1 290	1 862	722
2 964	78	1 552	645	2 434	1 254	1 732	699	2 714	1 318	1 911	738
3 040	80	1 592	659	2 496	1 281	1 776	715	2 784	1 347	1 960	755
3 230	85	1 692	695	2 652	1 347	1 887	754	2 958	1 417	2 083	797
3 420	90	1 791	731	2 808	1 413	1 998	793	3 132	1 487	2 205	839
3 610	95	1 891	767	2 964	1 480	2 109	833	3 306	1 558	2 328	881
3 800	100	1 991	803	3 120	1 546	2 220	872	3 480	1 628	2 450	923

CREATHERM S

											
Модель		2S45		1S50		2S50		1S55		2S55	
Высота Н (мм)		450		500		500		550		550	
Глубина Т (мм)		72		50		72		50		72	
Вес элемента (кг /el)		0,8		0,4		0,9		0,5		0,9	
ΦL ΔT 50K (Ватт/el)		38		27		42		29		45	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	230	311	160	139	251	316	174	141	271	322
304	8	306	341	214	156	334	348	232	160	361	356
380	10	383	372	267	174	418	380	290	178	451	390
456	12	460	402	320	192	502	412	348	197	541	423
532	14	536	432	374	210	585	445	406	216	631	457
608	16	613	463	427	228	669	477	464	234	722	491
684	18	689	493	481	245	752	509	522	253	812	525
760	20	766	523	534	263	836	541	580	272	902	559
836	22	843	554	587	281	920	573	638	290	992	593
912	24	919	584	641	299	1 003	605	696	309	1 082	626
988	26	996	614	694	317	1 087	637	754	328	1 173	660
1 064	28	1 072	644	748	335	1 170	669	812	346	1 263	694
1 140	30	1 149	675	801	352	1 254	701	870	365	1 353	728
1 216	32	1 226	705	854	370	1 338	733	928	384	1 443	762
1 292	34	1 302	735	908	388	1 421	765	986	402	1 533	796
1 368	36	1 379	766	961	406	1 505	797	1 044	421	1 624	830
1 444	38	1 455	796	1 015	424	1 588	829	1 102	440	1 714	863
1 520	40	1 532	826	1 068	441	1 672	861	1 160	458	1 804	897
1 596	42	1 609	857	1 121	459	1 756	893	1 218	477	1 894	931
1 672	44	1 685	887	1 175	477	1 839	925	1 276	496	1 984	965
1 748	46	1 762	917	1 228	495	1 923	957	1 334	514	2 075	999
1 824	48	1 838	947	1 282	513	2 006	989	1 392	533	2 165	1 033
1 900	50	1 915	978	1 335	531	2 090	1 021	1 450	552	2 255	1 067
1 976	52	1 992	1 008	1 388	548	2 174	1 053	1 508	570	2 345	1 100
2 052	54	2 068	1 038	1 442	566	2 257	1 085	1 566	589	2 435	1 134
2 128	56	2 145	1 069	1 495	584	2 341	1 117	1 624	607	2 526	1 168
2 204	58	2 221	1 099	1 549	602	2 424	1 149	1 682	626	2 616	1 202
2 280	60	2 298	1 129	1 602	620	2 508	1 181	1 740	645	2 706	1 236
2 356	62	2 375	1 159	1 655	637	2 592	1 213	1 798	663	2 796	1 270
2 432	64	2 451	1 190	1 709	655	2 675	1 245	1 856	682	2 886	1 303
2 508	66	2 528	1 220	1 762	673	2 759	1 277	1 914	701	2 977	1 337
2 584	68	2 604	1 250	1 816	691	2 842	1 309	1 972	719	3 067	1 371
2 660	70	2 681	1 281	1 869	709	2 926	1 341	2 030	738	3 157	1 405
2 736	72	2 758	1 311	1 922	727	3 010	1 373	2 088	757	3 247	1 439
2 812	74	2 834	1 341	1 976	744	3 093	1 405	2 146	775	3 337	1 473
2 888	76	2 911	1 372	2 029	762	3 177	1 437	2 204	794	3 428	1 507
2 964	78	2 987	1 402	2 083	780	3 260	1 469	2 262	813	3 518	1 540
3 040	80	3 064	1 432	2 136	798	3 344	1 501	2 320	831	3 608	1 574
3 230	85	3 256	1 508	2 270	842	3 553	1 582	2 465	878	3 834	1 659
3 420	90	3 447	1 584	2 403	887	3 762	1 662	2 610	925	4 059	1 743
3 610	95	3 639	1 659	2 537	931	3 971	1 742	2 755	971	4 285	1 828
3 800	100	3 830	1 735	2 670	976	4 180	1 822	2 900	1 018	4 510	1 913

CREATHERM S

Модель		1S60		2S60		1S70		2S70		1S80	
Высота Н (мм)		600		600		700		700		800	
Глубина Т (мм)		50		72		50		72		50	
Вес элемента (кг /el)		0,5		1,0		0,6		1,1		0,7	
ΦL ΔT 50K (Ватт/el)		31		49		36		55		40	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	187	145	291	327	214	151	331	339	239	158
304	8	250	164	388	363	285	173	441	378	319	182
380	10	312	184	485	399	356	195	551	418	399	207
456	12	374	204	582	434	427	217	661	457	479	231
532	14	437	224	679	470	498	239	771	496	559	255
608	16	499	244	776	506	570	261	882	536	638	279
684	18	562	263	873	541	641	283	992	575	718	304
760	20	624	283	970	577	712	305	1 102	615	798	328
836	22	686	303	1 067	613	783	327	1 212	654	878	352
912	24	749	323	1 164	648	854	349	1 322	694	958	377
988	26	811	343	1 261	684	926	371	1 433	733	1 037	401
1 064	28	874	362	1 358	720	997	393	1 543	773	1 117	425
1 140	30	936	382	1 455	755	1 068	415	1 653	812	1 197	449
1 216	32	998	402	1 552	791	1 139	437	1 763	852	1 277	474
1 292	34	1 061	422	1 649	827	1 210	459	1 873	891	1 357	498
1 368	36	1 123	442	1 746	862	1 282	481	1 984	930	1 436	522
1 444	38	1 186	462	1 843	898	1 353	503	2 094	970	1 516	547
1 520	40	1 248	481	1 940	934	1 424	525	2 204	1 009	1 596	571
1 596	42	1 310	501	2 037	969	1 495	547	2 314	1 049	1 676	595
1 672	44	1 373	521	2 134	1 005	1 566	569	2 424	1 088	1 756	619
1 748	46	1 435	541	2 231	1 041	1 638	591	2 535	1 128	1 835	644
1 824	48	1 498	561	2 328	1 076	1 709	613	2 645	1 167	1 915	668
1 900	50	1 560	580	2 425	1 112	1 780	635	2 755	1 207	1 995	692
1 976	52	1 622	600	2 522	1 148	1 851	657	2 865	1 246	2 075	717
2 052	54	1 685	620	2 619	1 183	1 922	678	2 975	1 285	2 155	741
2 128	56	1 747	640	2 716	1 219	1 994	700	3 086	1 325	2 234	765
2 204	58	1 810	660	2 813	1 255	2 065	722	3 196	1 364	2 314	789
2 280	60	1 872	679	2 910	1 290	2 136	744	3 306	1 404	2 394	814
2 356	62	1 934	699	3 007	1 326	2 207	766	3 416	1 443	2 474	838
2 432	64	1 997	719	3 104	1 362	2 278	788	3 526	1 483	2 554	862
2 508	66	2 059	739	3 201	1 397	2 350	810	3 637	1 522	2 633	887
2 584	68	2 122	759	3 298	1 433	2 421	832	3 747	1 562	2 713	911
2 660	70	2 184	779	3 395	1 469	2 492	854	3 857	1 601	2 793	935
2 736	72	2 246	798	3 492	1 504	2 563	876	3 967	1 641	2 873	959
2 812	74	2 309	818	3 589	1 540	2 634	898	4 077	1 680	2 953	984
2 888	76	2 371	838	3 686	1 576	2 706	920	4 188	1 719	3 032	1 008
2 964	78	2 434	858	3 783	1 611	2 777	942	4 298	1 759	3 112	1 032
3 040	80	2 496	878	3 880	1 647	2 848	964	4 408	1 798	3 192	1 057
3 230	85	2 652	927	4 123	1 736	3 026	1 019	4 684	1 897	3 392	1 117
3 420	90	2 808	977	4 365	1 825	3 204	1 074	4 959	1 996	3 591	1 178
3 610	95	2 964	1 026	4 608	1 915	3 382	1 129	5 235	2 094	3 791	1 239
3 800	100	3 120	1 076	4 850	2 004	3 560	1 184	5 510	2 193		

CREATHERM S

Модель		2S80		1S90		2S90		1S100		2S100	
Высота Н (мм)		800		900		900		1 000		1 000	
Глубина Т (мм)		72		50		72		50		72	
Вес элемента (кг /el)		1,3		0,7		1,4		0,8		1,6	
ΦL ΔT 50K (Ватт/el)		62		44		68		49		74	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	370	350	265	164	408	361	291	170	446	371
304	8	493	393	354	191	544	408	388	199	595	422
380	10	616	436	442	217	680	454	485	227	744	472
456	12	739	479	530	243	816	501	582	256	893	522
532	14	862	523	619	270	952	548	679	284	1 042	572
608	16	986	566	707	296	1 088	595	776	313	1 190	623
684	18	1 109	609	796	323	1 224	642	873	341	1 339	673
760	20	1 232	652	884	349	1 360	688	970	370	1 488	723
836	22	1 355	695	972	375	1 496	735	1 067	398	1 637	774
912	24	1 478	738	1 061	402	1 632	782	1 164	426	1 786	824
988	26	1 602	782	1 149	428	1 768	829	1 261	455	1 934	874
1 064	28	1 725	825	1 238	455	1 904	876	1 358	483	2 083	925
1 140	30	1 848	868	1 326	481	2 040	923	1 455	512	2 232	975
1 216	32	1 971	911	1 414	507	2 176	969	1 552	540	2 381	1 025
1 292	34	2 094	954	1 503	534	2 312	1 016	1 649	569	2 530	1 076
1 368	36	2 218	997	1 591	560	2 448	1 063	1 746	597	2 678	1 126
1 444	38	2 341	1 041	1 680	587	2 584	1 110	1 843	626	2 827	1 176
1 520	40	2 464	1 084	1 768	613	2 720	1 157	1 940	654	2 976	1 227
1 596	42	2 587	1 127	1 856	639	2 856	1 203	2 037	682	3 125	1 277
1 672	44	2 710	1 170	1 945	666	2 992	1 250	2 134	711	3 274	1 327
1 748	46	2 834	1 213	2 033	692	3 128	1 297	2 231	739	3 422	1 377
1 824	48	2 957	1 257	2 122	719	3 264	1 344	2 328	768	3 571	1 428
1 900	50	3 080	1 300	2 210	745	3 400	1 391	2 425	796	3 720	1 478
1 976	52	3 203	1 343	2 298	771	3 536	1 438	2 522	825	3 869	1 528
2 052	54	3 326	1 386	2 387	798	3 672	1 484	2 619	853	4 018	1 579
2 128	56	3 450	1 429	2 475	824	3 808	1 531	2 716	882	4 166	1 629
2 204	58	3 573	1 472	2 564	851	3 944	1 578	2 813	910	4 315	1 679
2 280	60	3 696	1 516	2 652	877	4 080	1 625	2 910	938	4 464	1 730
2 356	62	3 819	1 559	2 740	903	4 216	1 672	3 007	967	4 613	1 780
2 432	64	3 942	1 602	2 829	930	4 352	1 718	3 104	995	4 762	1 830
2 508	66	4 066	1 645	2 917	956	4 488	1 765	3 201	1 024	4 910	1 881
2 584	68	4 189	1 688	3 006	983	4 624	1 812	3 298	1 052	5 059	1 931
2 660	70	4 312	1 731	3 094	1 009	4 760	1 859	3 395	1 081	5 208	1 981
2 736	72	4 435	1 775	3 182	1 035	4 896	1 906	3 492	1 109	5 357	2 031
2 812	74	4 558	1 818	3 271	1 062	5 032	1 952	3 589	1 138	5 506	2 082
2 888	76	4 682	1 861	3 359	1 088	5 168	1 999	3 686	1 166	5 654	2 132
2 964	78	4 805	1 904	3 448	1 115	5 304	2 046	3 783	1 195	5 803	2 182
3 040	80	4 928	1 947	3 536	1 141	5 440	2 093	3 880	1 223	5 952	2 233
3 230	85	5 236	2 055	3 757	1 207	5 780	2 210				
3 420	90	5 544	2 163								
3 610	95	5 852	2 271								
3 800	100										

CREATHERM S

Модель		1S110		2S110		1S120		2S120		1S130	
Высота Н (мм)		1 100		1 100		1 200		1 200		1 300	
Глубина Т (мм)		50		72		50		72		50	
Вес элемента (кг /el)		0,9		1,7		0,9		1,9		1,0	
ФЛ ΔТ 50К (Ватт/el)		53		81		57		87		61	
Длина L [мм]	Длина [эл]	Ф _s ΔТ 50К [Ватт]	Цена [Евро]	Ф _s ΔТ 50К [Ватт]	Цена [Евро]	Ф _s ΔТ 50К [Ватт]	Цена [Евро]	Ф _s ΔТ 50К [Ватт]	Цена [Евро]	Ф _s ΔТ 50К [Ватт]	Цена [Евро]
228	6	317	177	484	383	343	183	522	394	368	190
304	8	422	207	646	437	457	215	696	451	491	225
380	10	528	238	807	491	571	248	870	509	614	259
456	12	634	268	968	545	685	281	1 044	567	737	294
532	14	739	299	1 130	599	799	313	1 218	625	860	329
608	16	845	329	1 291	653	914	346	1 392	682	982	364
684	18	950	360	1 453	707	1 028	378	1 566	740	1 105	399
760	20	1 056	390	1 614	761	1 142	411	1 740	798	1 228	434
836	22	1 162	421	1 775	815	1 256	443	1 914	856	1 351	469
912	24	1 267	451	1 937	869	1 370	476	2 088	913	1 474	503
988	26	1 373	482	2 098	924	1 485	509	2 262	971	1 596	538
1 064	28	1 478	512	2 260	978	1 599	541	2 436	1 029	1 719	573
1 140	30	1 584	543	2 421	1 032	1 713	574	2 610	1 087	1 842	608
1 216	32	1 690	573	2 582	1 086	1 827	606	2 784	1 144	1 965	643
1 292	34	1 795	604	2 744	1 140	1 941	639	2 958	1 202	2 088	678
1 368	36	1 901	634	2 905	1 194	2 056	671	3 132	1 260	2 210	713
1 444	38	2 006	665	3 067	1 248	2 170	704	3 306	1 318	2 333	747
1 520	40	2 112	695	3 228	1 302	2 284	737	3 480	1 376	2 456	782
1 596	42	2 218	726	3 389	1 356	2 398	769	3 654	1 433	2 579	817
1 672	44	2 323	756	3 551	1 410	2 512	802	3 828	1 491	2 702	852
1 748	46	2 429	787	3 712	1 464	2 627	834	4 002	1 549	2 824	887
1 824	48	2 534	817	3 874	1 519	2 741	867	4 176	1 607	2 947	922
1 900	50	2 640	848	4 035	1 573	2 855	900	4 350	1 664	3 070	957
1 976	52	2 746	878	4 196	1 627	2 969	932	4 524	1 722	3 193	991
2 052	54	2 851	909	4 358	1 681	3 083	965	4 698	1 780	3 316	1 026
2 128	56	2 957	939	4 519	1 735	3 198	997	4 872	1 838	3 438	1 061
2 204	58	3 062	970	4 681	1 789	3 312	1 030	5 046	1 895	3 561	1 096
2 280	60	3 168	1 000	4 842	1 843	3 426	1 062	5 220	1 953	3 684	1 131
2 356	62	3 274	1 031	5 003	1 897	3 540	1 095	5 394	2 011	3 807	1 166
2 432	64	3 379	1 061	5 165	1 951	3 654	1 128	5 568	2 069		
2 508	66	3 485	1 092	5 326	2 005	3 769	1 160	5 742	2 126		
2 584	68	3 590	1 122	5 488	2 059						
2 660	70	3 696	1 153	5 649	2 114						
2 736	72	3 802	1 183	5 810	2 168						
2 812	74										
2 888	76										
2 964	78										
3 040	80										
3 230	85										
3 420	90										
3 610	95										
3 800	100										

CREATHERM S

Модель		2S130		1S140		2S140		1S150		2S150	
Высота Н (мм)		1 300		1 400		1 400		1 500		1 500	
Глубина Т (мм)		72		50		72		50		72	
Вес элемента (кг /el)		2,0		1,1		2,2		1,2		2,3	
ΦL ΔT 50K (Ватт/el)		93		66		100		70		106	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	560	405	394	196	598	416	421	202	636	427
304	8	746	466	526	233	797	481	561	241	848	495
380	10	933	527	657	270	996	546	701	280	1 060	564
456	12	1 120	589	788	307	1 195	611	841	319	1 272	633
532	14	1 306	650	920	343	1 394	677	981	358	1 484	701
608	16	1 493	712	1 051	380	1 594	742	1 122	397	1 696	770
684	18	1 679	773	1 183	417	1 793	807	1 262	436	1 908	839
760	20	1 866	834	1 314	454	1 992	872	1 402	475	2 120	908
836	22	2 053	896	1 445	491	2 191	937	1 542	514	2 332	976
912	24	2 239	957	1 577	528	2 390	1 003	1 682	553	2 544	1 045
988	26	2 426	1 019	1 708	565	2 590	1 068	1 823	592	2 756	1 114
1 064	28	2 612	1 080	1 840	602	2 789	1 133	1 963	631	2 968	1 183
1 140	30	2 799	1 141	1 971	639	2 988	1 198	2 103	669	3 180	1 251
1 216	32	2 986	1 203	2 102	676	3 187	1 263	2 243	708	3 392	1 320
1 292	34	3 172	1 264	2 234	713	3 386	1 328	2 383	747	3 604	1 389
1 368	36	3 359	1 326	2 365	749	3 586	1 394	2 524	786	3 816	1 458
1 444	38	3 545	1 387	2 497	786	3 785	1 459	2 664	825	4 028	1 526
1 520	40	3 732	1 448	2 628	823	3 984	1 524				
1 596	42	3 919	1 510	2 759	860	4 183	1 589				
1 672	44	4 105	1 571	2 891	897	4 382	1 654				
1 748	46	4 292	1 633	3 022	934	4 582	1 720				
1 824	48	4 478	1 694	3 154	971	4 781	1 785				
1 900	50	4 665	1 755	3 285	1 008	4 980	1 850				
1 976	52	4 852	1 817	3 416	1 045	5 179	1 915				
2 052	54	5 038	1 878	3 548	1 082	5 378	1 980				
2 128	56	5 225	1 940	3 679	1 119	5 578	2 045				
2 204	58	5 411	2 001	3 811	1 155	5 777	2 111				
2 280	60	5 598	2 062								
2 356	62	5 785	2 124								
2 432	64										
2 508	66										
2 584	68										
2 660	70										
2 736	72										
2 812	74										
2 888	76										
2 964	78										
3 040	80										
3 230	85										
3 420	90										
3 610	95										
3 800	100										

CREATHERM S

Модель		1S160		2S160		1S170		2S170		1S180	
Высота Н (мм)		1 600		1 600		1 700		1 700		1 800	
Глубина Т (мм)		50		72		50		72		50	
Вес элемента (кг /el)		1,2		2,5		1,3		2,6		1,4	
ΦL ΔT 50K (Ватт/el)		74		112		79		118		83	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	446	209	672	438	473	215	708	450	500	221
304	8	595	250	896	510	630	258	944	526	666	266
380	10	744	291	1 120	583	788	302	1 180	602	833	312
456	12	893	332	1 344	655	946	345	1 416	679	1 000	357
532	14	1 042	373	1 568	728	1 103	389	1 652	755	1 166	402
608	16	1 190	415	1 792	800	1 261	432	1 888	832	1 333	448
684	18	1 339	456	2 016	872	1 418	475	2 124	908	1 499	493
760	20	1 488	497	2 240	945	1 576	519	2 360	984	1 666	538
836	22	1 637	538	2 464	1 017	1 734	562	2 596	1 061	1 833	584
912	24	1 786	579	2 688	1 090	1 891	605	2 832	1 137	1 999	629
988	26	1 934	620	2 912	1 162	2 049	649	3 068	1 214	2 166	674
1 064	28	2 083	662	3 136	1 235	2 206	692	3 304	1 290	2 332	719
1 140	30	2 232	703	3 360	1 307	2 364	735	3 540	1 367	2 499	765
1 216	32	2 381	744	3 584	1 380	2 522	779	3 776	1 443	2 666	810
1 292	34	2 530	785	3 808	1 452	2 679	822	4 012	1 519	2 832	855
1 368	36	2 678	826	4 032	1 525	2 837	865	4 248	1 596	2 999	901
1 444	38	2 827	868	4 256	1 597	2 994	909	4 484	1 672	3 165	946
1 520	40										
1 596	42										
1 672	44										
1 748	46										
1 824	48										
1 900	50										
1 976	52										
2 052	54										
2 128	56										
2 204	58										
2 280	60										
2 356	62										
2 432	64										
2 508	66										
2 584	68										
2 660	70										
2 736	72										
2 812	74										
2 888	76										
2 964	78										
3 040	80										
3 230	85										
3 420	90										
3 610	95										
3 800	100										

CREATHERM S

Модель		2S180		1S190		2S190		1S200		2S200	
Высота Н (мм)		1 800		1 900		1 900		2 000		2 000	
Глубина Т (мм)		72		50		72		50		72	
Вес элемента (кг /el)		2,8		1,5		2,9		1,5		3,1	
ΦL ΔT 50K (Ватт/el)		125		88		131		92		137	
Длина L [мм]	Длина [эл]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]	Φ _s ΔT 50K [Ватт]	Цена [Евро]
228	6	750	460	526	228	786	472	553	234	822	482
304	8	1 000	540	702	275	1 048	555	738	283	1 096	570
380	10	1 250	620	877	323	1 310	639	922	333	1 370	657
456	12	1 500	700	1 052	370	1 572	723	1 106	382	1 644	744
532	14	1 750	781	1 228	418	1 834	807	1 291	432	1 918	832
608	16	2 000	861	1 403	466	2 096	891	1 475	482	2 192	919
684	18	2 250	941	1 579	513	2 358	974	1 660	531	2 466	1 007
760	20	2 500	1 021	1 754	561	2 620	1 058	1 844	581	2 740	1 094
836	22	2 750	1 101	1 929	608	2 882	1 142	2 028	630	3 014	1 181
912	24	3 000	1 181	2 105	656	3 144	1 226	2 213	680	3 288	1 269
988	26	3 250	1 261	2 280	703	3 406	1 309	2 397	729	3 562	1 356
1 064	28	3 500	1 341	2 456	751	3 668	1 393	2 582	779	3 836	1 443
1 140	30	3 750	1 421	2 631	799	3 930	1 477	2 766	828	4 110	1 531
1 216	32	4 000	1 501	2 806	846	4 192	1 561	2 950	878	4 384	1 618
1 292	34	4 250	1 581	2 982	894	4 454	1 645	3 135	928	4 658	1 705
1 368	36	4 500	1 661	3 157	941	4 716	1 728	3 319	977	4 932	1 793
1 444	38	4 750	1 741	3 333	989	4 978	1 812	3 504	1 027	5 206	1 880
1 520	40										
1 596	42										
1 672	44										
1 748	46										
1 824	48										
1 900	50										
1 976	52										
2 052	54										
2 128	56										
2 204	58										
2 280	60										
2 356	62										
2 432	64										
2 508	66										
2 584	68										
2 660	70										
2 736	72										
2 812	74										
2 888	76										
2 964	78										
3 040	80										
3 230	85										
3 420	90										
3 610	95										
3 800	100										