



















		
Модель	DH14			DH14L14			DH14-2		
Высота Н (мм)	147			147			147		
Глубина Т (мм)	41			59			90		
Высота оребрения (мм)	-			136			-		
Вес за метр (кг / м)	3,6			6,0			7,4		
Φ _Σ ΔТ 50K (Ватт/м)	182			351			329		
Длина L [мм]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	91	86	96	176	127	139	165	228	242
600	109	89	101	211	134	147	197	234	250
700	127	91	105	246	140	156	230	240	259
800	146	94	110	281	146	165	263	246	268
900	164	96	114	316	153	174	296	251	276
1 000	182	99	118	351	159	182	329	257	285
1 100	200	101	123	386	165	191	362	263	294
1 200	218	103	127	421	172	200	395	269	302
1 300	237	106	132	456	178	208	428	275	311
1 400	255	108	136	491	184	217	461	281	320
1 500	273	111	141	527	191	226	494	287	328
1 600	291	113	145	562	197	234	526	293	337
1 700	309	116	149	597	204	243	559	299	346
1 800	328	118	154	632	210	252	592	305	354
1 900	346	121	158	667	216	260	625	311	363
2 000	364	123	163	702	223	269	658	317	372
2 200	400	128	172	772	235	286	724	329	389
2 400	437	133	180	842	248	304	790	340	407
2 600	473	138	189	913	261	321	855	352	424
2 800	510	143	198	983	274	338	921	364	441
3 000	546	147	207	1 053	286	356	987	376	459
3 200	582	152	216	1 123	299	373	1 053	388	476
3 400	619	157	225	1 193	312	391	1 119	400	493
3 600	655	162	234	1 264	324	408	1 184	411	511
3 800	692	167	242	1 334	337	425	1 250	423	528
4 000	728	172	251	1 404	350	443	1 316	435	545
4 200	764	177	260	1 474	363	460	1 382	447	563
4 400	801	182	269	1 544	375	477	1 448	459	580
4 600	837	187	278	1 615	388	495	1 513	471	597
4 800	874	191	287	1 685	401	512	1 579	483	615
5 000	910	196	296	1 755	414	529	1 645	494	632
5 200	946	201	304	1 825	426	547	1 711	506	650
5 400	983	206	313	1 895	439	564	1 777	518	667
5 600	1 019	211	322	1 966	452	582	1 842	530	684
5 800	1 056	216	331	2 036	464	599	1 908	542	702
6 000	1 092	221	340	2 106	477	616	1 974	554	719





									
Модель	DH14-2L14			DH14-2L14-2			DH14-2L14-3		
Высота Н (мм)	147			147			147		
Глубина Т (мм)	90			90			125		
Высота оребрения (мм)	136			136			136		
Вес за метр (кг / м)	10,1			1,1			12,9		
Φ _с ΔТ 50K (Ватт/м)	507			659			771		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	254	258	271	330	281	295	386	335	359
600	304	268	284	395	294	310	463	352	381
700	355	278	297	461	306	326	540	368	402
800	406	288	310	527	319	341	617	385	423
900	456	298	323	593	332	357	694	401	445
1 000	507	308	335	659	344	372	771	418	466
1 100	558	318	348	725	357	387	848	434	488
1 200	608	328	361	791	370	403	925	451	509
1 300	659	338	374	857	383	418	1 002	467	530
1 400	710	348	387	923	395	434	1 079	484	552
1 500	761	358	400	989	408	449	1 157	500	573
1 600	811	368	412	1 054	421	465	1 234	517	595
1 700	862	378	425	1 120	433	480	1 311	533	616
1 800	913	388	438	1 186	446	496	1 388	550	637
1 900	963	398	451	1 252	459	511	1 465	566	659
2 000	1 014	408	464	1 318	471	527	1 542	583	680
2 200	1 115	429	489	1 450	497	557	1 696	616	723
2 400	1 217	449	515	1 582	522	588	1 850	649	766
2 600	1 318	469	541	1 713	548	619	2 005	682	808
2 800	1 420	489	566	1 845	573	650	2 159	715	851
3 000	1 521	509	592	1 977	598	681	2 313	748	894
3 200	1 622	529	617	2 109	624	712	2 467	781	937
3 400	1 724	549	643	2 241	649	743	2 621	814	979
3 600	1 825	569	669	2 372	675	774	2 776	847	1 022
3 800	1 927	589	694	2 504	700	805	2 930	880	1 065
4 000	2 028	610	720	2 636	725	836	3 084	913	1 108
4 200	2 129	630	746	2 768	751	866	3 238	946	1 150
4 400	2 231	650	771	2 900	776	897	3 392	979	1 193
4 600	2 332	670	797	3 031	801	928	3 547	1 012	1 236
4 800	2 434	690	822	3 163	827	959	3 701	1 046	1 279
5 000	2 535	710	848	3 295	852	990	3 855	1 079	1 321
5 200	2 636	730	874	3 427	878	1 021	4 009	1 112	1 364
5 400	2 738	750	899	3 559	903	1 052	4 163	1 145	1 407
5 600	2 839	771	925	3 690	928	1 083	4 318	1 178	1 450
5 800	2 941	791	951	3 822	954	1 114	4 472	1 211	1 492
6 000	3 042	811	976	3 954	979	1 145	4 626	1 244	1 535





									
Модель	DH21			DH21L14			DH21L21		
Высота Н (мм)	221			221			221		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			210		
Вес за метр (кг / м)	5,4			8,1			9,2		
Φ _с ΔТ 50K (Ватт/м)	258			431			470		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	129	104	114	216	156	168	235	161	172
600	155	107	119	259	164	178	282	169	183
700	181	111	125	302	171	187	329	177	194
800	206	114	130	345	178	197	376	186	204
900	232	118	136	388	186	206	423	194	215
1 000	258	122	141	431	193	216	470	203	226
1 100	284	125	147	474	200	226	517	211	236
1 200	310	129	153	517	207	235	564	219	247
1 300	335	132	158	560	215	245	611	228	258
1 400	361	136	164	603	222	255	658	236	268
1 500	387	139	169	647	229	264	705	244	279
1 600	413	143	175	690	237	274	752	253	290
1 700	439	147	180	733	244	283	799	261	300
1 800	464	150	186	776	251	293	846	269	311
1 900	490	154	191	819	259	303	893	278	322
2 000	516	157	197	862	266	312	940	286	332
2 200	568	164	208	948	281	332	1 034	303	354
2 400	619	172	219	1 034	295	351	1 128	320	375
2 600	671	179	230	1 121	310	370	1 222	336	397
2 800	722	186	241	1 207	324	389	1 316	353	418
3 000	774	193	253	1 293	339	409	1 410	370	439
3 200	826	200	264	1 379	354	428	1 504	386	461
3 400	877	207	275	1 465	368	447	1 598	403	482
3 600	929	214	286	1 552	383	466	1 692	420	503
3 800	980	222	297	1 638	398	486	1 786	437	525
4 000	1 032	229	308	1 724	412	505	1 880	453	546
4 200	1 084	236	319	1 810	427	524	1 974	470	567
4 400	1 135	243	330	1 896	441	543	2 068	487	589
4 600	1 187	250	342	1 983	456	563	2 162	503	610
4 800	1 238	257	353	2 069	471	582	2 256	520	631
5 000	1 290	265	364	2 155	485	601	2 350	537	653
5 200	1 342	272	375	2 241	500	620	2 444	554	674
5 400	1 393	279	386	2 327	515	640	2 538	570	695
5 600	1 445	286	397	2 414	529	659	2 632	587	717
5 800	1 496	293	408	2 500	544	678	2 726	604	738
6 000	1 548	300	419	2 586	558	697	2 820	620	759





									
Модель	DH21-2			DH21-2L14			DH21-2L21		
Высота Н (мм)	221			221			221		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			210		
Вес за метр (кг / м)	11,4			14,0			15,2		
Φ _Σ ΔТ 50K (Ватт/м)	464			650			690		
Длина L [мм]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	232	264	277	325	294	308	345	299	313
600	278	272	288	390	306	323	414	313	329
700	325	280	299	455	318	338	483	326	345
800	371	288	310	520	331	353	552	339	361
900	418	296	321	585	343	368	621	353	378
1 000	464	304	332	650	355	383	690	366	394
1 100	510	313	343	715	367	398	759	380	410
1 200	557	321	354	780	380	413	828	393	426
1 300	603	329	365	845	392	428	897	407	442
1 400	650	337	376	910	404	443	966	420	459
1 500	696	345	386	975	416	458	1 035	433	475
1 600	742	353	397	1 040	429	473	1 104	447	491
1 700	789	361	408	1 105	441	488	1 173	460	507
1 800	835	369	419	1 170	453	503	1 242	474	523
1 900	882	378	430	1 235	465	518	1 311	487	539
2 000	928	386	441	1 300	478	533	1 380	500	556
2 200	1 021	402	463	1 430	502	563	1 518	527	588
2 400	1 114	418	485	1 560	527	593	1 656	554	620
2 600	1 206	435	506	1 690	551	623	1 794	581	653
2 800	1 299	451	528	1 820	575	653	1 932	608	685
3 000	1 392	467	550	1 950	600	683	2 070	635	717
3 200	1 485	483	572	2 080	624	713	2 208	661	750
3 400	1 578	500	593	2 210	649	743	2 346	688	782
3 600	1 670	516	615	2 340	673	773	2 484	715	814
3 800	1 763	532	637	2 470	698	803	2 622	742	847
4 000	1 856	549	659	2 600	722	833	2 760	769	879
4 200	1 949	565	681	2 730	747	863	2 898	796	911
4 400	2 042	581	702	2 860	771	893	3 036	822	944
4 600	2 134	597	724	2 990	796	923	3 174	849	976
4 800	2 227	614	746	3 120	820	953	3 312	876	1 008
5 000	2 320	630	768	3 250	845	983	3 450	903	1 041
5 200	2 413	646	790	3 380	869	1 013	3 588	930	1 073
5 400	2 506	663	811	3 510	894	1 042	3 726	956	1 105
5 600	2 598	679	833	3 640	918	1 072	3 864	983	1 138
5 800	2 691	695	855	3 770	943	1 102	4 002	1 010	1 170
6 000	2 784	711	877	3 900	967	1 132	4 140	1 037	1 202





									
Модель	DH21-2L21-2			DH-21-2L14-3			DH21-2L21-3		
Высота Н (мм)	221			221			221		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	210			136			210		
Вес за метр (кг / м)	16,8			18,7			19,5		
Φ _s ΔТ 50K (Ватт/м)	847			981			1004		
Длина L [мм]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	424	325	339	491	378	402	502	382	406
600	508	341	358	589	398	427	602	402	431
700	593	358	377	687	418	452	703	423	457
800	678	374	397	785	438	477	803	444	483
900	762	391	416	883	458	502	904	465	508
1 000	847	407	435	981	478	527	1 004	486	534
1 100	932	424	454	1 079	498	552	1 104	506	560
1 200	1 016	440	474	1 177	518	577	1 205	527	585
1 300	1 101	457	493	1 275	538	601	1 305	548	611
1 400	1 186	473	512	1 373	558	626	1 406	569	637
1 500	1 271	490	531	1 472	578	651	1 506	590	662
1 600	1 355	506	551	1 570	598	676	1 606	610	688
1 700	1 440	523	570	1 668	618	701	1 707	631	714
1 800	1 525	539	589	1 766	638	726	1 807	652	739
1 900	1 609	556	608	1 864	658	751	1 908	673	765
2 000	1 694	572	628	1 962	679	776	2 008	694	791
2 200	1 863	605	666	2 158	719	825	2 209	735	842
2 400	2 033	638	705	2 354	759	875	2 410	777	893
2 600	2 202	671	743	2 551	799	925	2 610	818	945
2 800	2 372	704	782	2 747	839	975	2 811	860	996
3 000	2 541	737	820	2 943	879	1 024	3 012	902	1 047
3 200	2 710	770	859	3 139	919	1 074	3 213	943	1 099
3 400	2 880	803	897	3 335	959	1 124	3 414	985	1 150
3 600	3 049	836	936	3 532	999	1 174	3 614	1 026	1 201
3 800	3 219	869	974	3 728	1 039	1 223	3 815	1 068	1 252
4 000	3 388	902	1 013	3 924	1 079	1 273	4 016	1 110	1 304
4 200	3 557	935	1 051	4 120	1 119	1 323	4 217	1 151	1 355
4 400	3 727	968	1 090	4 316	1 159	1 373	4 418	1 193	1 406
4 600	3 896	1 001	1 128	4 513	1 199	1 422	4 618	1 234	1 458
4 800	4 066	1 034	1 167	4 709	1 239	1 472	4 819	1 276	1 509
5 000	4 235	1 067	1 205	4 905	1 279	1 522	5 020	1 318	1 560
5 200	4 404	1 100	1 244	5 101	1 319	1 572	5 221	1 359	1 612
5 400	4 574	1 133	1 282	5 297	1 359	1 621	5 422	1 401	1 663
5 600	4 743	1 166	1 321	5 494	1 399	1 671	5 622	1 442	1 714
5 800	4 913	1 199	1 359	5 690	1 439	1 721	5 823	1 484	1 766
6 000	5 082	1 232	1 398	5 886	1 479	1 771	6 024	1 526	1 817





									
Модель	DH28			DH28L14			DH28L28		
Высота Н (мм)	295			295			295		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			284		
Вес за метр (кг / м)	7,3			10,1			12,5		
Φ _Σ ΔТ 50K (Ватт/м)	331			515			589		
Длина L [мм]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	166	121	131	258	168	180	295	182	194
600	199	126	138	309	177	190	353	192	206
700	232	131	144	361	185	201	412	203	219
800	265	135	151	412	193	211	471	213	232
900	298	140	158	464	201	222	530	223	244
1 000	331	145	165	515	209	232	589	234	257
1 100	364	149	171	567	217	243	648	244	270
1 200	397	154	178	618	225	253	707	255	282
1 300	430	159	185	670	234	264	766	265	295
1 400	463	164	191	721	242	274	825	275	308
1 500	497	168	198	773	250	285	884	286	320
1 600	530	173	205	824	258	295	942	296	333
1 700	563	178	212	876	266	306	1 001	306	346
1 800	596	183	218	927	274	316	1 060	317	358
1 900	629	187	225	979	283	327	1 119	327	371
2 000	662	192	232	1 030	291	337	1 178	337	384
2 200	728	201	245	1 133	307	358	1 296	358	409
2 400	794	211	259	1 236	323	379	1 414	379	434
2 600	861	220	272	1 339	340	400	1 531	399	460
2 800	927	230	285	1 442	356	421	1 649	420	485
3 000	993	239	299	1 545	372	442	1 767	441	510
3 200	1 059	249	312	1 648	389	463	1 885	462	536
3 400	1 125	258	326	1 751	405	484	2 003	482	561
3 600	1 192	268	339	1 854	421	505	2 120	503	586
3 800	1 258	277	352	1 957	438	526	2 238	524	612
4 000	1 324	286	366	2 060	454	547	2 356	544	637
4 200	1 390	296	379	2 163	470	568	2 474	565	662
4 400	1 456	305	393	2 266	487	589	2 592	586	688
4 600	1 523	315	406	2 369	503	609	2 709	606	713
4 800	1 589	324	420	2 472	519	630	2 827	627	738
5 000	1 655	334	433	2 575	536	651	2 945	648	764
5 200	1 721	343	446	2 678	552	672	3 063	669	789
5 400	1 787	353	460	2 781	568	693	3 181	689	814
5 600	1 854	362	473	2 884	584	714	3 298	710	840
5 800	1 920	371	487	2 987	601	735	3 416	731	865
6 000	1 986	381	500	3 090	617	756	3 534	751	890





									
Модель	DH28-2			DH28-2L14			DH28-2L28		
Высота Н (мм)	295			295			295		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			284		
Вес за метр (кг / м)	15,5			18,0			20,3		
Φ _с ΔТ 50К (Ватт/м)	593			787			872		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	297	299	313	394	330	344	436	341	355
600	356	310	326	472	345	361	523	358	374
700	415	320	340	551	359	378	610	374	394
800	474	331	353	630	374	396	698	391	413
900	534	341	366	708	388	413	785	408	433
1 000	593	351	379	787	402	430	872	425	452
1 100	652	362	392	866	417	447	959	441	472
1 200	712	372	405	944	431	464	1 046	458	491
1 300	771	382	418	1 023	446	482	1 134	475	511
1 400	830	393	431	1 102	460	499	1 221	492	530
1 500	890	403	445	1 181	475	516	1 308	509	550
1 600	949	414	458	1 259	489	533	1 395	525	569
1 700	1 008	424	471	1 338	503	550	1 482	542	589
1 800	1 067	434	484	1 417	518	567	1 570	559	609
1 900	1 127	445	497	1 495	532	585	1 657	576	628
2 000	1 186	455	510	1 574	547	602	1 744	592	648
2 200	1 305	476	536	1 731	575	636	1 918	626	687
2 400	1 423	497	563	1 889	604	670	2 093	660	726
2 600	1 542	517	589	2 046	633	705	2 267	693	765
2 800	1 660	538	615	2 204	662	739	2 442	727	804
3 000	1 779	559	641	2 361	691	773	2 616	760	843
3 200	1 898	580	668	2 518	720	808	2 790	794	882
3 400	2 016	600	694	2 676	748	842	2 965	827	921
3 600	2 135	621	720	2 833	777	877	3 139	861	960
3 800	2 253	642	746	2 991	806	911	3 314	895	999
4 000	2 372	662	773	3 148	835	945	3 488	928	1 038
4 200	2 491	683	799	3 305	864	980	3 662	962	1 078
4 400	2 609	704	825	3 463	893	1 014	3 837	995	1 117
4 600	2 728	725	851	3 620	921	1 048	4 011	1 029	1 156
4 800	2 846	745	878	3 778	950	1 083	4 186	1 062	1 195
5 000	2 965	766	904	3 935	979	1 117	4 360	1 096	1 234
5 200	3 084	787	930	4 092	1 008	1 151	4 534	1 130	1 273
5 400	3 202	808	957	4 250	1 037	1 186	4 709	1 163	1 312
5 600	3 321	828	983	4 407	1 066	1 220	4 883	1 197	1 351
5 800	3 439	849	1 009	4 565	1 095	1 254	5 058	1 230	1 390
6 000	3 558	870	1 035	4 722	1 123	1 289	5 232	1 264	1 429





									
Модель	DH28-2L28-2			DH28-2L14-3			DH28-2L28-3		
Высота Н (мм)	295			295			295		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	284			136			284		
Вес за метр (кг / м)	22,4			24,4			26,0		
Φ _с ΔТ 50K (Ватт/м)	1034			1200			1248		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	517	369	383	600	417	441	624	428	452
600	620	389	406	720	440	469	749	453	482
700	724	410	429	840	463	497	874	478	512
800	827	430	452	960	487	526	998	503	542
900	931	450	475	1 080	510	554	1 123	528	572
1 000	1 034	470	498	1 200	534	582	1 248	553	602
1 100	1 137	491	521	1 320	557	610	1 373	579	632
1 200	1 241	511	544	1 440	580	639	1 498	604	662
1 300	1 344	531	567	1 560	604	667	1 622	629	692
1 400	1 448	552	590	1 680	627	695	1 747	654	722
1 500	1 551	572	613	1 800	651	724	1 872	679	752
1 600	1 654	592	636	1 920	674	752	1 997	704	782
1 700	1 758	613	659	2 040	697	780	2 122	729	812
1 800	1 861	633	682	2 160	721	808	2 246	754	841
1 900	1 965	653	706	2 280	744	837	2 371	779	871
2 000	2 068	673	729	2 400	768	865	2 496	804	901
2 200	2 275	714	775	2 640	815	921	2 746	854	961
2 400	2 482	755	821	2 880	861	978	2 995	905	1 021
2 600	2 688	795	867	3 120	908	1 034	3 245	955	1 081
2 800	2 895	836	913	3 360	955	1 091	3 494	1 005	1 141
3 000	3 102	876	959	3 600	1 002	1 147	3 744	1 055	1 201
3 200	3 309	917	1 005	3 840	1 049	1 204	3 994	1 105	1 261
3 400	3 516	958	1 051	4 080	1 095	1 261	4 243	1 155	1 320
3 600	3 722	998	1 097	4 320	1 142	1 317	4 493	1 205	1 380
3 800	3 929	1 039	1 144	4 560	1 189	1 374	4 742	1 256	1 440
4 000	4 136	1 079	1 190	4 800	1 236	1 430	4 992	1 306	1 500
4 200	4 343	1 120	1 236	5 040	1 283	1 487	5 242	1 356	1 560
4 400	4 550	1 161	1 282	5 280	1 329	1 543	5 491	1 406	1 620
4 600	4 756	1 201	1 328	5 520	1 376	1 600	5 741	1 456	1 680
4 800	4 963	1 242	1 374	5 760	1 423	1 656	5 990	1 506	1 739
5 000	5 170	1 282	1 420	6 000	1 470	1 713	6 240	1 557	1 799
5 200	5 377	1 323	1 466	6 240	1 517	1 769	6 490	1 607	1 859
5 400	5 584	1 364	1 512	6 480	1 564	1 826	6 739	1 657	1 919
5 600	5 790	1 404	1 559	6 720	1 610	1 882	6 989	1 707	1 979
5 800	5 997	1 445	1 605	6 960	1 657	1 939	7 238	1 757	2 039
6 000	6 204	1 485	1 651	7 200	1 704	1 995	7 488	1 807	2 099





									
Модель	DH35			DH35L14			DH35L35		
Высота Н (мм)	369			369			369		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			358		
Вес за метр (кг / м)	9,2			12,0			15,7		
Φ _с ΔТ 50К (Ватт/м)	403			602			714		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	202	138	148	301	185	197	357	203	215
600	242	144	156	361	194	208	428	216	230
700	282	150	164	421	203	220	500	228	244
800	322	156	172	482	213	231	571	240	259
900	363	162	180	542	222	242	643	253	274
1 000	403	168	188	602	231	254	714	265	288
1 100	443	174	195	662	240	265	785	277	303
1 200	484	179	203	722	249	277	857	290	317
1 300	524	185	211	783	258	288	928	302	332
1 400	564	191	219	843	267	300	1 000	314	347
1 500	605	197	227	903	276	311	1 071	327	361
1 600	645	203	235	963	285	322	1 142	339	376
1 700	685	209	242	1 023	294	334	1 214	351	391
1 800	725	214	250	1 084	304	345	1 285	364	405
1 900	766	220	258	1 144	313	357	1 357	376	420
2 000	806	226	266	1 204	322	368	1 428	388	435
2 200	887	238	282	1 324	340	391	1 571	413	464
2 400	967	250	297	1 445	358	414	1 714	438	493
2 600	1 048	261	313	1 565	376	437	1 856	462	523
2 800	1 128	273	329	1 686	395	460	1 999	487	552
3 000	1 209	285	344	1 806	413	482	2 142	512	581
3 200	1 290	296	360	1 926	431	505	2 285	536	611
3 400	1 370	308	376	2 047	449	528	2 428	561	640
3 600	1 451	320	391	2 167	467	551	2 570	586	669
3 800	1 531	331	407	2 288	486	574	2 713	610	699
4 000	1 612	343	423	2 408	504	597	2 856	635	728
4 200	1 693	355	438	2 528	522	619	2 999	660	757
4 400	1 773	367	454	2 649	540	642	3 142	684	786
4 600	1 854	378	470	2 769	559	665	3 284	709	816
4 800	1 934	390	485	2 890	577	688	3 427	734	845
5 000	2 015	402	501	3 010	595	711	3 570	759	874
5 200	2 096	413	517	3 130	613	734	3 713	783	904
5 400	2 176	425	532	3 251	631	757	3 856	808	933
5 600	2 257	437	548	3 371	650	779	3 998	833	962
5 800	2 337	448	564	3 492	668	802	4 141	857	992
6 000	2 418	460	579	3 612	686	825	4 284	882	1 021





									
Модель	DH35-2			DH35-2L14			DH35-2L35		
Высота Н (мм)	369			369			369		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			358		
Вес за метр (кг / м)	19,6			21,9			25,4		
Φ _с ΔТ 50K (Ватт/м)	718			926			1059		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	359	335	349	463	367	380	530	382	396
600	431	348	364	556	383	400	635	402	419
700	503	361	380	648	400	419	741	423	442
800	574	373	395	741	417	439	847	443	465
900	646	386	411	833	433	458	953	463	488
1 000	718	398	426	926	450	477	1 059	483	511
1 100	790	411	441	1 019	466	497	1 165	503	534
1 200	862	423	457	1 111	483	516	1 271	523	556
1 300	933	436	472	1 204	500	535	1 377	544	579
1 400	1 005	449	487	1 296	516	555	1 483	564	602
1 500	1 077	461	503	1 389	533	574	1 589	584	625
1 600	1 149	474	518	1 482	549	593	1 694	604	648
1 700	1 221	486	533	1 574	566	613	1 800	624	671
1 800	1 292	499	549	1 667	583	632	1 906	644	694
1 900	1 364	512	564	1 759	599	652	2 012	664	717
2 000	1 436	524	579	1 852	616	671	2 118	685	740
2 200	1 580	549	610	2 037	649	710	2 330	725	786
2 400	1 723	575	641	2 222	682	748	2 542	765	831
2 600	1 867	600	671	2 408	715	787	2 753	806	877
2 800	2 010	625	702	2 593	749	826	2 965	846	923
3 000	2 154	650	733	2 778	782	865	3 177	886	969
3 200	2 298	675	764	2 963	815	903	3 389	926	1 015
3 400	2 441	701	794	3 148	848	942	3 601	967	1 060
3 600	2 585	726	825	3 334	881	981	3 812	1 007	1 106
3 800	2 728	751	856	3 519	915	1 019	4 024	1 047	1 152
4 000	2 872	776	886	3 704	948	1 058	4 236	1 088	1 198
4 200	3 016	801	917	3 889	981	1 097	4 448	1 128	1 244
4 400	3 159	827	948	4 074	1 014	1 136	4 660	1 168	1 290
4 600	3 303	852	979	4 260	1 048	1 174	4 871	1 209	1 335
4 800	3 446	877	1 009	4 445	1 081	1 213	5 083	1 249	1 381
5 000	3 590	902	1 040	4 630	1 114	1 252	5 295	1 289	1 427
5 200	3 734	927	1 071	4 815	1 147	1 291	5 507	1 329	1 473
5 400	3 877	952	1 101	5 000	1 180	1 329	5 719	1 370	1 519
5 600	4 021	978	1 132	5 186	1 214	1 368	5 930	1 410	1 564
5 800	4 164	1 003	1 163	5 371	1 247	1 407	6 142	1 450	1 610
6 000	4 308	1 028	1 193	5 556	1 280	1 445	6 354	1 491	1 656





									
Модель	DH35-2L35-2			DH35-2L14-3			DH35-2L35-2		
Высота Н (мм)	369			369			369		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	358			136			358		
Вес за метр (кг / м)	28,1			30,1			32,6		
Φ _s ΔТ 50K (Ватт/м)	1230			1437			1512		
Длина L [мм]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	615	413	427	719	460	484	756	475	499
600	738	437	454	862	487	516	907	504	533
700	861	461	481	1 006	514	548	1 058	533	567
800	984	485	507	1 150	540	579	1 210	563	601
900	1 107	509	534	1 293	567	611	1 361	592	636
1 000	1 230	534	561	1 437	594	643	1 512	621	670
1 100	1 353	558	588	1 581	621	675	1 663	651	704
1 200	1 476	582	615	1 724	648	706	1 814	680	738
1 300	1 599	606	642	1 868	675	738	1 966	709	772
1 400	1 722	630	668	2 012	702	770	2 117	739	807
1 500	1 845	654	695	2 156	729	802	2 268	768	841
1 600	1 968	678	722	2 299	756	833	2 419	797	875
1 700	2 091	702	749	2 443	783	865	2 570	827	909
1 800	2 214	726	776	2 587	809	897	2 722	856	944
1 900	2 337	750	803	2 730	836	929	2 873	885	978
2 000	2 460	774	830	2 874	863	960	3 024	915	1 012
2 200	2 706	823	883	3 161	917	1 024	3 326	974	1 080
2 400	2 952	871	937	3 449	971	1 087	3 629	1 032	1 149
2 600	3 198	919	991	3 736	1 025	1 151	3 931	1 091	1 217
2 800	3 444	967	1 044	4 024	1 078	1 214	4 234	1 150	1 286
3 000	3 690	1 015	1 098	4 311	1 132	1 278	4 536	1 208	1 354
3 200	3 936	1 064	1 152	4 598	1 186	1 341	4 838	1 267	1 422
3 400	4 182	1 112	1 206	4 886	1 240	1 405	5 141	1 326	1 491
3 600	4 428	1 160	1 259	5 173	1 294	1 469	5 443	1 384	1 559
3 800	4 674	1 208	1 313	5 461	1 348	1 532	5 746	1 443	1 628
4 000	4 920	1 256	1 367	5 748	1 401	1 596	6 048	1 502	1 696
4 200	5 166	1 305	1 420	6 035	1 455	1 659	6 350	1 561	1 765
4 400	5 412	1 353	1 474	6 323	1 509	1 723	6 653	1 619	1 833
4 600	5 658	1 401	1 528	6 610	1 563	1 786	6 955	1 678	1 901
4 800	5 904	1 449	1 581	6 898	1 617	1 850	7 258	1 737	1 970
5 000	6 150	1 497	1 635	7 185	1 670	1 913	7 560	1 795	2 038
5 200	6 396	1 546	1 689	7 472	1 724	1 977	7 862	1 854	2 107
5 400	6 642	1 594	1 743	7 760	1 778	2 040	8 165	1 913	2 175
5 600	6 888	1 642	1 796	8 047	1 832	2 104	8 467	1 971	2 243
5 800	7 134	1 690	1 850	8 335	1 886	2 167	8 770	2 030	2 312
6 000	7 380	1 738	1 904	8 622	1 939	2 231	9 072	2 089	2 380





									
Модель	DH42			DH42L14			DH42L42		
Высота Н (мм)	443			443			443		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			432		
Вес за метр (кг / м)	11,2			13,9			18,7		
Φ _с ΔТ 50К (Ватт/м)	473			677			827		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	237	156	166	339	202	214	414	225	236
600	284	163	175	406	212	226	496	239	253
700	331	170	184	474	222	238	579	253	270
800	378	177	193	542	232	251	662	268	286
900	426	184	202	609	242	263	744	282	303
1 000	473	191	211	677	252	276	827	296	319
1 100	520	198	220	745	262	288	910	311	336
1 200	568	205	229	812	272	300	992	325	353
1 300	615	212	238	880	283	313	1 075	339	369
1 400	662	219	247	948	293	325	1 158	354	386
1 500	710	226	256	1 016	303	337	1 241	368	403
1 600	757	233	264	1 083	313	350	1 323	382	419
1 700	804	240	273	1 151	323	362	1 406	397	436
1 800	851	247	282	1 219	333	375	1 489	411	453
1 900	899	254	291	1 286	343	387	1 571	425	469
2 000	946	261	300	1 354	353	399	1 654	440	486
2 200	1 041	275	318	1 489	373	424	1 819	468	519
2 400	1 135	289	336	1 625	393	449	1 985	497	553
2 600	1 230	303	354	1 760	413	474	2 150	526	586
2 800	1 324	317	372	1 896	433	498	2 316	554	619
3 000	1 419	331	390	2 031	453	523	2 481	583	652
3 200	1 514	345	408	2 166	474	548	2 646	612	686
3 400	1 608	359	426	2 302	494	572	2 812	640	719
3 600	1 703	373	444	2 437	514	597	2 977	669	752
3 800	1 797	387	462	2 573	534	622	3 143	698	786
4 000	1 892	400	480	2 708	554	647	3 308	726	819
4 200	1 987	414	498	2 843	574	671	3 473	755	852
4 400	2 081	428	516	2 979	594	696	3 639	784	886
4 600	2 176	442	534	3 114	614	721	3 804	812	919
4 800	2 270	456	552	3 250	634	746	3 970	841	952
5 000	2 365	470	570	3 385	655	770	4 135	870	985
5 200	2 460	484	588	3 520	675	795	4 300	898	1 019
5 400	2 554	498	606	3 656	695	820	4 466	927	1 052
5 600	2 649	512	624	3 791	715	845	4 631	956	1 085
5 800	2 743	526	641	3 927	735	869	4 797	984	1 119
6 000	2 838	540	659	4 062	755	894	4 962	1 013	1 152





									
Модель	DH42-2			DH42-2L14			DH42-2L42		
Высота Н (мм)	443			443			443		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			432		
Вес за метр (кг / м)	23,4			25,7			30,3		
Φ _Σ ΔТ 50K (Ватт/м)	840			1046			1212		
Длина L [мм]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	420	371	385	523	403	417	606	424	438
600	504	386	403	628	422	438	727	447	464
700	588	401	420	732	441	460	848	471	490
800	672	416	438	837	459	482	970	494	516
900	756	431	455	941	478	503	1 091	518	543
1 000	840	445	473	1 046	497	525	1 212	541	569
1 100	924	460	490	1 151	516	546	1 333	565	595
1 200	1 008	475	508	1 255	535	568	1 454	588	621
1 300	1 092	490	526	1 360	553	589	1 576	612	648
1 400	1 176	505	543	1 464	572	611	1 697	635	674
1 500	1 260	519	561	1 569	591	632	1 818	659	700
1 600	1 344	534	578	1 674	610	654	1 939	682	727
1 700	1 428	549	596	1 778	629	676	2 060	706	753
1 800	1 512	564	614	1 883	647	697	2 182	730	779
1 900	1 596	579	631	1 987	666	719	2 303	753	805
2 000	1 680	594	649	2 092	685	740	2 424	777	832
2 200	1 848	623	684	2 301	723	783	2 666	824	884
2 400	2 016	653	719	2 510	760	826	2 909	871	937
2 600	2 184	683	754	2 720	798	869	3 151	918	989
2 800	2 352	712	789	2 929	835	913	3 394	965	1 042
3 000	2 520	742	825	3 138	873	956	3 636	1 012	1 094
3 200	2 688	771	860	3 347	911	999	3 878	1 059	1 147
3 400	2 856	801	895	3 556	948	1 042	4 121	1 106	1 200
3 600	3 024	831	930	3 766	986	1 085	4 363	1 153	1 252
3 800	3 192	860	965	3 975	1 023	1 128	4 606	1 200	1 305
4 000	3 360	890	1 000	4 184	1 061	1 171	4 848	1 247	1 357
4 200	3 528	920	1 036	4 393	1 099	1 214	5 090	1 294	1 410
4 400	3 696	949	1 071	4 602	1 136	1 257	5 333	1 341	1 462
4 600	3 864	979	1 106	4 812	1 174	1 301	5 575	1 388	1 515
4 800	4 032	1 009	1 141	5 021	1 211	1 344	5 818	1 435	1 567
5 000	4 200	1 038	1 176	5 230	1 249	1 387	6 060	1 482	1 620
5 200	4 368	1 068	1 211	5 439	1 286	1 430	6 302	1 529	1 673
5 400	4 536	1 098	1 247	5 648	1 324	1 473	6 545	1 576	1 725
5 600	4 704	1 127	1 282	5 858	1 362	1 516	6 787	1 623	1 778
5 800	4 872	1 157	1 317	6 067	1 399	1 559	7 030	1 670	1 830
6 000	5 040	1 187	1 352	6 276	1 437	1 602	7 272	1 717	1 883





									
Модель	DH42-2L42-2			DH42-2L14-3			DH42-2L42-3		
Высота Н (мм)	443			443			443		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	432			136			432		
Вес за метр (кг / м)	33,5			35,5			38,9		
Φ _Σ ΔТ 50К (Ватт/м)	1390			1793			1842		
Длина L [мм]	Φ _Σ ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	695	457	471	897	503	527	921	521	545
600	834	485	502	1 076	533	562	1 105	555	584
700	973	513	532	1 255	564	598	1 289	588	622
800	1 112	541	563	1 434	594	633	1 474	622	661
900	1 251	569	593	1 614	625	668	1 658	655	699
1 000	1 390	597	624	1 793	655	703	1 842	689	738
1 100	1 529	624	655	1 972	685	739	2 026	723	776
1 200	1 668	652	685	2 152	716	774	2 210	756	815
1 300	1 807	680	716	2 331	746	809	2 395	790	853
1 400	1 946	708	747	2 510	776	844	2 579	824	892
1 500	2 085	736	777	2 690	807	880	2 763	857	930
1 600	2 224	764	808	2 869	837	915	2 947	891	969
1 700	2 363	792	839	3 048	868	950	3 131	925	1 007
1 800	2 502	820	869	3 227	898	985	3 316	958	1 046
1 900	2 641	848	900	3 407	928	1 021	3 500	992	1 084
2 000	2 780	876	931	3 586	959	1 056	3 684	1 025	1 123
2 200	3 058	931	992	3 945	1 020	1 126	4 052	1 093	1 199
2 400	3 336	987	1 053	4 303	1 080	1 197	4 421	1 160	1 276
2 600	3 614	1 043	1 115	4 662	1 141	1 267	4 789	1 227	1 353
2 800	3 892	1 099	1 176	5 020	1 202	1 338	5 158	1 294	1 430
3 000	4 170	1 155	1 237	5 379	1 263	1 408	5 526	1 362	1 507
3 200	4 448	1 210	1 299	5 738	1 324	1 479	5 894	1 429	1 584
3 400	4 726	1 266	1 360	6 096	1 384	1 549	6 263	1 496	1 661
3 600	5 004	1 322	1 421	6 455	1 445	1 620	6 631	1 563	1 738
3 800	5 282	1 378	1 483	6 813	1 506	1 690	7 000	1 631	1 815
4 000	5 560	1 434	1 544	7 172	1 567	1 761	7 368	1 698	1 892
4 200	5 838	1 489	1 605	7 531	1 627	1 831	7 736	1 765	1 969
4 400	6 116	1 545	1 667	7 889	1 688	1 902	8 105	1 832	2 046
4 600	6 394	1 601	1 728	8 248	1 749	1 972	8 473	1 900	2 123
4 800	6 672	1 657	1 789	8 606	1 810	2 043	8 842	1 967	2 200
5 000	6 950	1 713	1 850	8 965	1 871	2 113	9 210	2 034	2 277
5 200	7 228	1 768	1 912	9 324	1 931	2 184	9 578	2 101	2 354
5 400	7 506	1 824	1 973	9 682	1 992	2 254	9 947	2 169	2 431
5 600	7 784	1 880	2 034	10 041	2 053	2 325	10 315	2 236	2 508
5 800	8 062	1 936	2 096	10 399	2 114	2 395	10 684	2 303	2 585
6 000	8 340	1 992	2 157	10 758	2 175	2 466	11 052	2 371	2 662




									
Модель	DH49			DH49L14			DH49L49		
Высота Н (мм)	517			517			517		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			506		
Вес за метр (кг / м)	13,2			15,9			21,7		
Φ _s ΔТ 50К (Ватт/м)	543			748			937		
Длина L [мм]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	272	173	183	374	219	230	469	246	257
600	326	181	193	449	230	244	562	262	276
700	380	190	203	524	241	257	656	278	295
800	434	198	214	598	252	270	750	295	313
900	489	206	224	673	263	284	843	311	332
1 000	543	214	234	748	274	297	937	327	351
1 100	597	222	244	823	285	310	1 031	344	369
1 200	652	230	254	898	296	324	1 124	360	388
1 300	706	238	264	972	307	337	1 218	376	406
1 400	760	246	274	1 047	318	350	1 312	393	425
1 500	815	255	284	1 122	329	364	1 406	409	444
1 600	869	263	294	1 197	340	377	1 499	425	462
1 700	923	271	305	1 272	351	390	1 593	442	481
1 800	977	279	315	1 346	362	404	1 687	458	500
1 900	1 032	287	325	1 421	373	417	1 780	474	518
2 000	1 086	295	335	1 496	384	430	1 874	491	537
2 200	1 195	311	355	1 646	406	457	2 061	523	574
2 400	1 303	328	375	1 795	428	484	2 249	556	612
2 600	1 412	344	396	1 945	450	510	2 436	589	649
2 800	1 520	360	416	2 094	472	537	2 624	621	686
3 000	1 629	377	436	2 244	494	564	2 811	654	723
3 200	1 738	393	456	2 394	516	590	2 998	686	761
3 400	1 846	409	477	2 543	538	617	3 186	719	798
3 600	1 955	425	497	2 693	560	644	3 373	752	835
3 800	2 063	442	517	2 842	582	670	3 561	784	872
4 000	2 172	458	537	2 992	604	697	3 748	817	910
4 200	2 281	474	557	3 142	626	724	3 935	850	947
4 400	2 389	490	578	3 291	648	750	4 123	882	984
4 600	2 498	507	598	3 441	670	777	4 310	915	1 022
4 800	2 606	523	618	3 590	692	804	4 498	948	1 059
5 000	2 715	539	638	3 740	714	830	4 685	980	1 096
5 200	2 824	555	659	3 890	736	857	4 872	1 013	1 133
5 400	2 932	572	679	4 039	758	884	5 060	1 046	1 171
5 600	3 041	588	699	4 189	780	910	5 247	1 078	1 208
5 800	3 149	604	719	4 338	802	937	5 435	1 111	1 245
6 000	3 258	620	740	4 488	825	964	5 622	1 143	1 282





									
Модель	DH49-2			DH49-2L14			DH49-2L49		
Высота Н (мм)	517			517			517		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			506		
Вес за метр (кг / м)	27,2			29,5			35,2		
Φ _Σ ΔТ 50K (Ватт/м)	960			1159			1364		
Длина L [мм]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Σ ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	480	407	421	580	439	453	682	465	479
600	576	424	441	695	460	477	818	492	509
700	672	441	460	811	481	501	955	519	538
800	768	458	480	927	502	524	1 091	546	568
900	864	475	500	1 043	523	548	1 228	573	598
1 000	960	492	520	1 159	544	572	1 364	600	627
1 100	1 056	509	540	1 275	565	596	1 500	627	657
1 200	1 152	526	559	1 391	586	619	1 637	654	687
1 300	1 248	543	579	1 507	607	643	1 773	680	716
1 400	1 344	560	599	1 623	628	667	1 910	707	746
1 500	1 440	577	619	1 739	649	690	2 046	734	776
1 600	1 536	595	639	1 854	670	714	2 182	761	805
1 700	1 632	612	658	1 970	691	738	2 319	788	835
1 800	1 728	629	678	2 086	712	762	2 455	815	864
1 900	1 824	646	698	2 202	733	785	2 592	842	894
2 000	1 920	663	718	2 318	754	809	2 728	869	924
2 200	2 112	697	757	2 550	796	856	3 001	922	983
2 400	2 304	731	797	2 782	838	904	3 274	976	1 042
2 600	2 496	765	837	3 013	880	951	3 546	1 030	1 102
2 800	2 688	799	876	3 245	922	999	3 819	1 084	1 161
3 000	2 880	833	916	3 477	964	1 046	4 092	1 137	1 220
3 200	3 072	867	955	3 709	1 006	1 094	4 365	1 191	1 279
3 400	3 264	901	995	3 941	1 047	1 141	4 638	1 245	1 339
3 600	3 456	935	1 035	4 172	1 089	1 189	4 910	1 299	1 398
3 800	3 648	969	1 074	4 404	1 131	1 236	5 183	1 352	1 457
4 000	3 840	1 004	1 114	4 636	1 173	1 284	5 456	1 406	1 516
4 200	4 032	1 038	1 153	4 868	1 215	1 331	5 729	1 460	1 576
4 400	4 224	1 072	1 193	5 100	1 257	1 378	6 002	1 514	1 635
4 600	4 416	1 106	1 233	5 331	1 299	1 426	6 274	1 567	1 694
4 800	4 608	1 140	1 272	5 563	1 341	1 473	6 547	1 621	1 754
5 000	4 800	1 174	1 312	5 795	1 383	1 521	6 820	1 675	1 813
5 200	4 992	1 208	1 351	6 027	1 425	1 568	7 093	1 729	1 872
5 400	5 184	1 242	1 391	6 259	1 467	1 616	7 366	1 783	1 931
5 600	5 376	1 276	1 431	6 490	1 509	1 663	7 638	1 836	1 991
5 800	5 568	1 310	1 470	6 722	1 551	1 711	7 911	1 890	2 050
6 000	5 760	1 344	1 510	6 954	1 593	1 758	8 184	1 944	2 109




									
Модель	DH49-2L49-2			DH49-2L14-3			DH49-2L49-3		
Высота Н (мм)	517			517			517		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	506			136			506		
Вес за метр (кг / м)	39,0			41,0			45,2		
Φ _с ΔТ 50К (Ватт/м)	1540			1917			1976		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	770	501	515	959	546	570	988	567	592
600	924	533	549	1 150	580	609	1 186	605	634
700	1 078	565	584	1 342	614	648	1 383	643	677
800	1 232	596	618	1 534	648	687	1 581	681	720
900	1 386	628	653	1 725	682	725	1 778	719	763
1 000	1 540	660	687	1 917	715	764	1 976	757	805
1 100	1 694	691	722	2 109	749	803	2 174	795	848
1 200	1 848	723	756	2 300	783	842	2 371	833	891
1 300	2 002	755	791	2 492	817	880	2 569	871	934
1 400	2 156	786	825	2 684	851	919	2 766	908	976
1 500	2 310	818	859	2 876	885	958	2 964	946	1 019
1 600	2 464	850	894	3 067	919	996	3 162	984	1 062
1 700	2 618	882	928	3 259	953	1 035	3 359	1 022	1 105
1 800	2 772	913	963	3 451	987	1 074	3 557	1 060	1 147
1 900	2 926	945	997	3 642	1 020	1 113	3 754	1 098	1 190
2 000	3 080	977	1 032	3 834	1 054	1 151	3 952	1 136	1 233
2 200	3 388	1 040	1 101	4 217	1 122	1 229	4 347	1 212	1 318
2 400	3 696	1 103	1 170	4 601	1 190	1 306	4 742	1 287	1 404
2 600	4 004	1 167	1 239	4 984	1 258	1 384	5 138	1 363	1 489
2 800	4 312	1 230	1 307	5 368	1 325	1 461	5 533	1 439	1 575
3 000	4 620	1 294	1 376	5 751	1 393	1 539	5 928	1 515	1 660
3 200	4 928	1 357	1 445	6 134	1 461	1 616	6 323	1 590	1 746
3 400	5 236	1 420	1 514	6 518	1 529	1 694	6 718	1 666	1 831
3 600	5 544	1 484	1 583	6 901	1 596	1 771	7 114	1 742	1 917
3 800	5 852	1 547	1 652	7 285	1 664	1 849	7 509	1 818	2 002
4 000	6 160	1 611	1 721	7 668	1 732	1 926	7 904	1 894	2 088
4 200	6 468	1 674	1 790	8 051	1 800	2 004	8 299	1 969	2 173
4 400	6 776	1 738	1 859	8 435	1 867	2 081	8 694	2 045	2 259
4 600	7 084	1 801	1 928	8 818	1 935	2 159	9 090	2 121	2 344
4 800	7 392	1 864	1 997	9 202	2 003	2 236	9 485	2 197	2 430
5 000	7 700	1 928	2 066	9 585	2 071	2 314	9 880	2 273	2 515
5 200	8 008	1 991	2 134	9 968	2 138	2 391	10 275	2 348	2 601
5 400	8 316	2 055	2 203	10 352	2 206	2 469	10 670	2 424	2 686
5 600	8 624	2 118	2 272	10 735	2 274	2 546			
5 800	8 932	2 181	2 341	11 119	2 342	2 623			
6 000	9 240	2 245	2 410	11 502	2 410	2 701			




									
Модель	DH56			DH56L14			DH56L56		
Высота Н (мм)	591			591			591		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			580		
Вес за метр (кг / м)	15,3			17,8			24,7		
Φ _с ΔТ 50K (Ватт/м)	612			817			1042		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	306	191	200	409	236	247	521	267	279
600	367	200	212	490	248	262	625	286	299
700	428	209	223	572	260	276	729	304	320
800	490	218	234	654	272	290	834	322	341
900	551	228	246	735	283	304	938	340	361
1 000	612	237	257	817	295	319	1 042	359	382
1 100	673	246	268	899	307	333	1 146	377	403
1 200	734	255	279	980	319	347	1 250	395	423
1 300	796	265	291	1 062	331	361	1 355	414	444
1 400	857	274	302	1 144	343	376	1 459	432	464
1 500	918	283	313	1 226	355	390	1 563	450	485
1 600	979	293	324	1 307	367	404	1 667	469	506
1 700	1 040	302	336	1 389	379	418	1 771	487	526
1 800	1 102	311	347	1 471	391	433	1 876	505	547
1 900	1 163	320	358	1 552	403	447	1 980	524	568
2 000	1 224	330	369	1 634	415	461	2 084	542	588
2 200	1 346	348	392	1 797	439	490	2 292	578	629
2 400	1 469	367	414	1 961	463	518	2 501	615	671
2 600	1 591	385	437	2 124	487	547	2 709	652	712
2 800	1 714	404	459	2 288	511	575	2 918	688	753
3 000	1 836	422	482	2 451	534	604	3 126	725	795
3 200	1 958	441	504	2 614	558	632	3 334	762	836
3 400	2 081	459	527	2 778	582	661	3 543	798	877
3 600	2 203	478	549	2 941	606	690	3 751	835	918
3 800	2 326	496	572	3 105	630	718	3 960	871	960
4 000	2 448	515	594	3 268	654	747	4 168	908	1 001
4 200	2 570	533	617	3 431	678	775	4 376	945	1 042
4 400	2 693	552	639	3 595	702	804	4 585	981	1 083
4 600	2 815	571	662	3 758	726	832	4 793	1 018	1 125
4 800	2 938	589	684	3 922	750	861	5 002	1 055	1 166
5 000	3 060	608	707	4 085	773	889	5 210	1 091	1 207
5 200	3 182	626	729	4 248	797	918	5 418	1 128	1 248
5 400	3 305	645	752	4 412	821	946	5 627	1 164	1 290
5 600	3 427	663	774	4 575	845	975	5 835	1 201	1 331
5 800	3 550	682	797	4 739	869	1 003	6 044	1 238	1 372
6 000	3 672	700	819	4 902	893	1 032	6 252	1 274	1 413





									
Модель	DH56-2			DH56-2L14			DH56-2L56		
Высота Н (мм)	591			591			591		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			580		
Вес за метр (кг / м)	31,0			33,2			40,0		
Φ _s ΔТ 50K (Ватт/м)	1079			1270			1513		
Длина L [мм]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	540	443	457	635	476	490	757	507	521
600	647	462	479	762	499	515	908	537	554
700	755	481	501	889	522	541	1 059	567	587
800	863	501	523	1 016	545	567	1 210	598	620
900	971	520	545	1 143	568	593	1 362	628	653
1 000	1 079	539	567	1 270	592	619	1 513	658	686
1 100	1 187	558	589	1 397	615	645	1 664	688	719
1 200	1 295	578	611	1 524	638	671	1 816	719	752
1 300	1 403	597	633	1 651	661	697	1 967	749	785
1 400	1 511	616	655	1 778	684	723	2 118	779	818
1 500	1 619	635	677	1 905	707	749	2 270	809	851
1 600	1 726	655	699	2 032	730	775	2 421	840	884
1 700	1 834	674	721	2 159	754	800	2 572	870	917
1 800	1 942	693	743	2 286	777	826	2 723	900	950
1 900	2 050	713	765	2 413	800	852	2 875	930	983
2 000	2 158	732	787	2 540	823	878	3 026	961	1 016
2 200	2 374	770	831	2 794	869	930	3 329	1 021	1 082
2 400	2 590	809	875	3 048	916	982	3 631	1 082	1 148
2 600	2 805	847	919	3 302	962	1 034	3 934	1 142	1 214
2 800	3 021	886	963	3 556	1 008	1 086	4 236	1 203	1 280
3 000	3 237	924	1 007	3 810	1 055	1 137	4 539	1 263	1 346
3 200	3 453	963	1 051	4 064	1 101	1 189	4 842	1 324	1 412
3 400	3 669	1 002	1 095	4 318	1 147	1 241	5 144	1 384	1 478
3 600	3 884	1 040	1 139	4 572	1 194	1 293	5 447	1 445	1 544
3 800	4 100	1 079	1 183	4 826	1 240	1 345	5 749	1 505	1 610
4 000	4 316	1 117	1 227	5 080	1 286	1 396	6 052	1 566	1 676
4 200	4 532	1 156	1 271	5 334	1 333	1 448	6 355	1 626	1 742
4 400	4 748	1 194	1 315	5 588	1 379	1 500	6 657	1 687	1 808
4 600	4 963	1 233	1 360	5 842	1 425	1 552	6 960	1 747	1 874
4 800	5 179	1 271	1 404	6 096	1 471	1 604	7 262	1 808	1 940
5 000	5 395	1 310	1 448	6 350	1 518	1 656	7 565	1 868	2 006
5 200	5 611	1 348	1 492	6 604	1 564	1 707	7 868	1 929	2 072
5 400	5 827	1 387	1 536	6 858	1 610	1 759	8 170	1 989	2 138
5 600	6 042	1 425	1 580	7 112	1 657	1 811	8 473	2 050	2 204
5 800	6 258	1 464	1 624	7 366	1 703	1 863	8 775	2 110	2 270
6 000	6 474	1 502	1 668	7 620	1 749	1 915	9 078	2 171	2 336





									
Модель	DH56-2L56-2			DH56-2L14-3			DH56-2L56-3		
Высота Н (мм)	591			591			591		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	580			136			580		
Вес за метр (кг / м)	44,4			46,4			51,4		
Φ _s ΔТ 50К (Ватт/м)	1683			2031			2101		
Длина L [мм]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	842	545	559	1 016	589	614	1 051	614	638
600	1 010	581	597	1 219	627	656	1 261	656	685
700	1 178	616	635	1 422	664	698	1 471	698	732
800	1 346	652	674	1 625	701	740	1 681	740	779
900	1 515	687	712	1 828	739	783	1 891	783	826
1 000	1 683	723	750	2 031	776	825	2 101	825	873
1 100	1 851	758	788	2 234	814	867	2 311	867	920
1 200	2 020	794	827	2 437	851	909	2 521	909	967
1 300	2 188	829	865	2 640	888	951	2 731	951	1 014
1 400	2 356	865	903	2 843	926	994	2 941	993	1 061
1 500	2 525	900	942	3 047	963	1 036	3 152	1 036	1 108
1 600	2 693	936	980	3 250	1 000	1 078	3 362	1 078	1 155
1 700	2 861	971	1 018	3 453	1 038	1 120	3 572	1 120	1 202
1 800	3 029	1 007	1 056	3 656	1 075	1 163	3 782	1 162	1 249
1 900	3 198	1 042	1 095	3 859	1 113	1 205	3 992	1 204	1 297
2 000	3 366	1 078	1 133	4 062	1 150	1 247	4 202	1 246	1 344
2 200	3 703	1 149	1 209	4 468	1 225	1 332	4 622	1 331	1 438
2 400	4 039	1 220	1 286	4 874	1 300	1 416	5 042	1 415	1 532
2 600	4 376	1 291	1 362	5 281	1 374	1 501	5 463	1 499	1 626
2 800	4 712	1 362	1 439	5 687	1 449	1 585	5 883	1 584	1 720
3 000	5 049	1 433	1 515	6 093	1 524	1 670	6 303	1 668	1 814
3 200	5 386	1 504	1 592	6 499	1 599	1 754	6 723	1 752	1 908
3 400	5 722	1 575	1 668	6 905	1 673	1 838	7 143	1 837	2 002
3 600	6 059	1 646	1 745	7 312	1 748	1 923	7 564	1 921	2 096
3 800	6 395	1 717	1 821	7 718	1 823	2 007	7 984	2 005	2 190
4 000	6 732	1 788	1 898	8 124	1 898	2 092	8 404	2 090	2 284
4 200	7 069	1 859	1 975	8 530	1 972	2 176	8 824	2 174	2 378
4 400	7 405	1 930	2 051	8 936	2 047	2 261	9 244	2 258	2 472
4 600	7 742	2 001	2 128	9 343	2 122	2 345	9 665	2 343	2 566
4 800	8 078	2 072	2 204	9 749	2 197	2 430	10 085	2 427	2 660
5 000	8 415	2 143	2 281	10 155	2 271	2 514			
5 200	8 752	2 214	2 357	10 561	2 346	2 599			
5 400	9 088	2 285	2 434						
5 600	9 425	2 356	2 510						
5 800									
6 000									





									
Модель	DH63			DH63L14			DH63L63		
Высота Н (мм)	665			665			665		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	17,3			19,7			27,7		
Φ _с ΔТ 50K (Ватт/м)	680			883			1143		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	340	208	218	442	252	264	572	288	300
600	408	218	230	530	265	279	686	309	323
700	476	229	243	618	278	295	800	329	345
800	544	239	255	706	291	310	914	349	368
900	612	250	267	795	304	325	1 029	370	390
1 000	680	260	280	883	317	340	1 143	390	413
1 100	748	270	292	971	330	355	1 257	410	436
1 200	816	281	305	1 060	343	371	1 372	430	458
1 300	884	291	317	1 148	356	386	1 486	451	481
1 400	952	302	329	1 236	369	401	1 600	471	504
1 500	1 020	312	342	1 325	381	416	1 715	491	526
1 600	1 088	322	354	1 413	394	431	1 829	512	549
1 700	1 156	333	367	1 501	407	447	1 943	532	571
1 800	1 224	343	379	1 589	420	462	2 057	552	594
1 900	1 292	354	391	1 678	433	477	2 172	573	617
2 000	1 360	364	404	1 766	446	492	2 286	593	639
2 200	1 496	385	428	1 943	472	523	2 515	633	684
2 400	1 632	406	453	2 119	498	553	2 743	674	730
2 600	1 768	426	478	2 296	523	584	2 972	715	775
2 800	1 904	447	503	2 472	549	614	3 200	755	820
3 000	2 040	468	528	2 649	575	645	3 429	796	865
3 200	2 176	489	552	2 826	601	675	3 658	836	911
3 400	2 312	510	577	3 002	627	705	3 886	877	956
3 600	2 448	530	602	3 179	652	736	4 115	918	1 001
3 800	2 584	551	627	3 355	678	766	4 343	958	1 046
4 000	2 720	572	651	3 532	704	797	4 572	999	1 091
4 200	2 856	593	676	3 709	730	827	4 801	1 039	1 137
4 400	2 992	614	701	3 885	756	858	5 029	1 080	1 182
4 600	3 128	634	726	4 062	781	888	5 258	1 121	1 227
4 800	3 264	655	751	4 238	807	918	5 486	1 161	1 272
5 000	3 400	676	775	4 415	833	949	5 715	1 202	1 318
5 200	3 536	697	800	4 592	859	979	5 944	1 242	1 363
5 400	3 672	718	825	4 768	885	1 010	6 172	1 283	1 408
5 600	3 808	739	850	4 945	910	1 040	6 401	1 324	1 453
5 800	3 944	759	874	5 121	936	1 071	6 629	1 364	1 499
6 000	4 080	780	899	5 298	962	1 101	6 858	1 405	1 544





									
Модель	DH63-2			DH63-2L14			DH63-2L63		
Высота Н (мм)	665			665			665		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	34,8			37,1			44,9		
Φ _с ΔТ 50К (Ватт/м)	1197			1380			1659		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	599	479	493	690	512	526	830	548	562
600	718	500	517	828	538	554	995	582	599
700	838	522	541	966	563	582	1 161	616	635
800	958	543	565	1 104	588	610	1 327	649	671
900	1 077	565	590	1 242	614	638	1 493	683	708
1 000	1 197	586	614	1 380	639	666	1 659	717	744
1 100	1 317	608	638	1 518	664	695	1 825	750	780
1 200	1 436	629	662	1 656	690	723	1 991	784	817
1 300	1 556	651	687	1 794	715	751	2 157	817	853
1 400	1 676	672	711	1 932	740	779	2 323	851	890
1 500	1 796	694	735	2 070	766	807	2 489	885	926
1 600	1 915	715	759	2 208	791	835	2 654	918	962
1 700	2 035	737	784	2 346	816	863	2 820	952	999
1 800	2 155	758	808	2 484	842	891	2 986	985	1 035
1 900	2 274	780	832	2 622	867	919	3 152	1 019	1 071
2 000	2 394	801	856	2 760	892	948	3 318	1 053	1 108
2 200	2 633	844	905	3 036	943	1 004	3 650	1 120	1 181
2 400	2 873	887	953	3 312	994	1 060	3 982	1 187	1 253
2 600	3 112	930	1 002	3 588	1 044	1 116	4 313	1 254	1 326
2 800	3 352	973	1 050	3 864	1 095	1 172	4 645	1 322	1 399
3 000	3 591	1 016	1 099	4 140	1 146	1 229	4 977	1 389	1 472
3 200	3 830	1 059	1 148	4 416	1 197	1 285	5 309	1 456	1 544
3 400	4 070	1 102	1 196	4 692	1 247	1 341	5 641	1 523	1 617
3 600	4 309	1 145	1 245	4 968	1 298	1 397	5 972	1 591	1 690
3 800	4 549	1 188	1 293	5 244	1 349	1 453	6 304	1 658	1 763
4 000	4 788	1 231	1 342	5 520	1 399	1 510	6 636	1 725	1 835
4 200	5 027	1 274	1 390	5 796	1 450	1 566	6 968	1 792	1 908
4 400	5 267	1 317	1 439	6 072	1 501	1 622	7 300	1 860	1 981
4 600	5 506	1 360	1 487	6 348	1 551	1 678	7 631	1 927	2 054
4 800	5 746	1 403	1 536	6 624	1 602	1 734	7 963	1 994	2 126
5 000	5 985	1 446	1 584	6 900	1 653	1 791	8 295	2 061	2 199
5 200	6 224	1 489	1 633	7 176	1 703	1 847	8 627	2 128	2 272
5 400	6 464	1 532	1 681	7 452	1 754	1 903	8 959	2 196	2 345
5 600	6 703	1 575	1 730	7 728	1 805	1 959			
5 800	6 943	1 618	1 778	8 004	1 856	2 015			
6 000	7 182	1 661	1 827	8 280	1 906	2 072			





									
Модель	DH63-2L63-2			DH63-2L14-3			DH63-2L63-3		
Высота Н (мм)	665			665			665		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	654			136			654		
Вес за метр (кг / м)	49,8			51,8			57,7		
Φ _с ΔТ 50К (Ватт/м)	1820			2137			2217		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	910	589	603	1 069	632	657	1 109	660	685
600	1 092	629	645	1 282	673	702	1 330	707	736
700	1 274	668	687	1 496	714	748	1 552	753	787
800	1 456	707	729	1 710	755	794	1 774	800	839
900	1 638	747	771	1 923	796	840	1 995	846	890
1 000	1 820	786	813	2 137	837	885	2 217	893	941
1 100	2 002	825	855	2 351	878	931	2 439	939	993
1 200	2 184	864	898	2 564	919	977	2 660	986	1 044
1 300	2 366	904	940	2 778	959	1 023	2 882	1 032	1 095
1 400	2 548	943	982	2 992	1 000	1 068	3 104	1 078	1 146
1 500	2 730	982	1 024	3 206	1 041	1 114	3 326	1 125	1 198
1 600	2 912	1 022	1 066	3 419	1 082	1 160	3 547	1 171	1 249
1 700	3 094	1 061	1 108	3 633	1 123	1 205	3 769	1 218	1 300
1 800	3 276	1 100	1 150	3 847	1 164	1 251	3 991	1 264	1 352
1 900	3 458	1 140	1 192	4 060	1 205	1 297	4 212	1 311	1 403
2 000	3 640	1 179	1 234	4 274	1 245	1 343	4 434	1 357	1 454
2 200	4 004	1 258	1 318	4 701	1 327	1 434	4 877	1 450	1 557
2 400	4 368	1 336	1 402	5 129	1 409	1 525	5 321	1 543	1 659
2 600	4 732	1 415	1 487	5 556	1 491	1 617	5 764	1 636	1 762
2 800	5 096	1 494	1 571	5 984	1 572	1 708	6 208	1 729	1 865
3 000	5 460	1 572	1 655	6 411	1 654	1 800	6 651	1 822	1 967
3 200	5 824	1 651	1 739	6 838	1 736	1 891	7 094	1 914	2 070
3 400	6 188	1 729	1 823	7 266	1 818	1 983	7 538	2 007	2 172
3 600	6 552	1 808	1 907	7 693	1 899	2 074	7 981	2 100	2 275
3 800	6 916	1 887	1 991	8 121	1 981	2 166	8 425	2 193	2 378
4 000	7 280	1 965	2 076	8 548	2 063	2 257	8 868	2 286	2 480
4 200	7 644	2 044	2 160	8 975	2 145	2 349	9 311	2 379	2 583
4 400	8 008	2 123	2 244	9 403	2 226	2 440			
4 600	8 372	2 201	2 328	9 830	2 308	2 531			
4 800	8 736	2 280	2 412	10 258	2 390	2 623			
5 000	9 100	2 358	2 496						
5 200									
5 400									
5 600									
5 800									
6 000									





									
Модель	DH70			DH70L14			DH70L63		
Высота Н (мм)	739			739			739		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	19,3			21,6			29,6		
Φ _с ΔТ 50К (Ватт/м)	749			955			1215		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	375	225	235	478	269	281	608	305	317
600	449	237	249	573	283	297	729	326	340
700	524	248	262	669	297	313	851	348	364
800	599	260	276	764	311	329	972	369	388
900	674	272	289	860	325	345	1 094	390	411
1 000	749	283	303	955	338	362	1 215	411	435
1 100	824	295	316	1 051	352	378	1 337	433	458
1 200	899	306	330	1 146	366	394	1 458	454	482
1 300	974	318	343	1 242	380	410	1 580	475	505
1 400	1 049	329	357	1 337	394	426	1 701	496	529
1 500	1 124	341	370	1 433	408	442	1 823	518	552
1 600	1 198	352	384	1 528	421	458	1 944	539	576
1 700	1 273	364	398	1 624	435	475	2 066	560	600
1 800	1 348	375	411	1 719	449	491	2 187	581	623
1 900	1 423	387	425	1 815	463	507	2 309	603	647
2 000	1 498	398	438	1 910	477	523	2 430	624	670
2 200	1 648	421	465	2 101	504	555	2 673	666	717
2 400	1 798	445	492	2 292	532	588	2 916	709	765
2 600	1 947	468	519	2 483	560	620	3 159	752	812
2 800	2 097	491	546	2 674	587	652	3 402	794	859
3 000	2 247	514	573	2 865	615	685	3 645	837	906
3 200	2 397	537	600	3 056	643	717	3 888	879	953
3 400	2 547	560	627	3 247	670	749	4 131	922	1 000
3 600	2 696	583	654	3 438	698	782	4 374	964	1 047
3 800	2 846	606	681	3 629	726	814	4 617	1 007	1 095
4 000	2 996	629	708	3 820	754	846	4 860	1 049	1 142
4 200	3 146	652	735	4 011	781	879	5 103	1 092	1 189
4 400	3 296	675	763	4 202	809	911	5 346	1 134	1 236
4 600	3 445	698	790	4 393	837	943	5 589	1 177	1 283
4 800	3 595	721	817	4 584	864	975	5 832	1 219	1 330
5 000	3 745	744	844	4 775	892	1 008	6 075	1 262	1 377
5 200	3 895	767	871	4 966	920	1 040	6 318	1 304	1 425
5 400	4 045	790	898	5 157	947	1 072	6 561	1 347	1 472
5 600	4 194	814	925	5 348	975	1 105	6 804	1 389	1 519
5 800	4 344	837	952	5 539	1 003	1 137	7 047	1 432	1 566
6 000	4 494	860	979	5 730	1 030	1 169	7 290	1 474	1 613





									
Модель	DH70-2			DH70-2L14			DH70-2L63		
Высота Н (мм)	739			739			739		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	38,6			40,8			48,7		
Φ _L ΔТ 50K (Ватт/м)	1314			1499			1776		
Длина L [мм]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	657	515	528	750	549	562	888	585	599
600	788	538	555	899	576	593	1 066	621	637
700	920	562	581	1 049	604	623	1 243	656	676
800	1 051	586	608	1 199	631	653	1 421	692	714
900	1 183	609	634	1 349	659	683	1 598	728	753
1 000	1 314	633	661	1 499	686	714	1 776	764	791
1 100	1 445	657	687	1 649	714	744	1 954	800	830
1 200	1 577	681	714	1 799	741	774	2 131	835	868
1 300	1 708	704	740	1 949	769	805	2 309	871	907
1 400	1 840	728	767	2 099	796	835	2 486	907	946
1 500	1 971	752	793	2 249	824	865	2 664	943	984
1 600	2 102	776	820	2 398	851	895	2 842	979	1 023
1 700	2 234	799	846	2 548	879	926	3 019	1 014	1 061
1 800	2 365	823	873	2 698	906	956	3 197	1 050	1 100
1 900	2 497	847	899	2 848	934	986	3 374	1 086	1 138
2 000	2 628	870	926	2 998	961	1 017	3 552	1 122	1 177
2 200	2 891	918	979	3 298	1 016	1 077	3 907	1 193	1 254
2 400	3 154	965	1 031	3 598	1 071	1 138	4 262	1 265	1 331
2 600	3 416	1 013	1 084	3 897	1 127	1 198	4 618	1 337	1 408
2 800	3 679	1 060	1 137	4 197	1 182	1 259	4 973	1 408	1 485
3 000	3 942	1 108	1 190	4 497	1 237	1 319	5 328	1 480	1 563
3 200	4 205	1 155	1 243	4 797	1 292	1 380	5 683	1 551	1 640
3 400	4 468	1 203	1 296	5 097	1 347	1 440	6 038	1 623	1 717
3 600	4 730	1 250	1 349	5 396	1 402	1 501	6 394	1 695	1 794
3 800	4 993	1 297	1 402	5 696	1 457	1 562	6 749	1 766	1 871
4 000	5 256	1 345	1 455	5 996	1 512	1 622	7 104	1 838	1 948
4 200	5 519	1 392	1 508	6 296	1 567	1 683	7 459	1 909	2 025
4 400	5 782	1 440	1 561	6 596	1 622	1 743	7 814	1 981	2 102
4 600	6 044	1 487	1 614	6 895	1 677	1 804	8 170	2 053	2 179
4 800	6 307	1 535	1 667	7 195	1 732	1 864	8 525	2 124	2 257
5 000	6 570	1 582	1 720	7 495	1 787	1 925	8 880	2 196	2 334
5 200	6 833	1 630	1 773	7 795	1 842	1 986			
5 400	7 096	1 677	1 826	8 095	1 897	2 046			
5 600	7 358	1 724	1 879	8 394	1 952	2 107			
5 800	7 621	1 772	1 932	8 694	2 007	2 167			
6 000	7 884	1 819	1 985	8 994	2 062	2 228			





									
Модель	DH70-2L63-2			DH70-2L14-3			DH70-2L63-3		
Высота Н (мм)	739			739			739		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	654			136			654		
Вес за метр (кг / м)	53,7			55,6			61,6		
Φ _с ΔТ 50К (Ватт/м)	1929			2237			2321		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	965	626	640	1 119	669	693	1 161	697	721
600	1 157	667	684	1 342	712	741	1 393	745	774
700	1 350	709	728	1 566	754	788	1 625	794	828
800	1 543	750	772	1 790	797	836	1 857	842	881
900	1 736	791	816	2 013	840	884	2 089	890	934
1 000	1 929	833	860	2 237	883	931	2 321	939	987
1 100	2 122	874	905	2 461	926	979	2 553	987	1 041
1 200	2 315	916	949	2 684	968	1 027	2 785	1 036	1 094
1 300	2 508	957	993	2 908	1 011	1 074	3 017	1 084	1 147
1 400	2 701	998	1 037	3 132	1 054	1 122	3 249	1 132	1 200
1 500	2 894	1 040	1 081	3 356	1 097	1 170	3 482	1 181	1 254
1 600	3 086	1 081	1 125	3 579	1 139	1 217	3 714	1 229	1 307
1 700	3 279	1 123	1 170	3 803	1 182	1 265	3 946	1 277	1 360
1 800	3 472	1 164	1 214	4 027	1 225	1 312	4 178	1 326	1 413
1 900	3 665	1 205	1 258	4 250	1 268	1 360	4 410	1 374	1 466
2 000	3 858	1 247	1 302	4 474	1 311	1 408	4 642	1 423	1 520
2 200	4 244	1 330	1 390	4 921	1 396	1 503	5 106	1 519	1 626
2 400	4 630	1 413	1 479	5 369	1 482	1 598	5 570	1 616	1 733
2 600	5 015	1 495	1 567	5 816	1 567	1 694	6 035	1 713	1 839
2 800	5 401	1 578	1 655	6 264	1 653	1 789	6 499	1 810	1 945
3 000	5 787	1 661	1 744	6 711	1 739	1 884	6 963	1 906	2 052
3 200	6 173	1 744	1 832	7 158	1 824	1 980	7 427	2 003	2 158
3 400	6 559	1 827	1 920	7 606	1 910	2 075	7 891	2 100	2 265
3 600	6 944	1 909	2 009	8 053	1 995	2 170	8 356	2 196	2 371
3 800	7 330	1 992	2 097	8 501	2 081	2 265	8 820	2 293	2 478
4 000	7 716	2 075	2 185	8 948	2 166	2 361	9 284	2 390	2 584
4 200	8 102	2 158	2 274	9 395	2 252	2 456			
4 400	8 488	2 241	2 362	9 843	2 338	2 551			
4 600	8 873	2 323	2 450						
4 800									
5 000									
5 200									
5 400									
5 600									
5 800									
6 000									





									
Модель	DH77			DH77L14			DH77L63		
Высота Н (мм)	813			813			813		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	21,2			23,6			31,5		
Φ _с ΔТ 50К (Ватт/м)	817			1020			1282		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	409	243	253	510	286	298	641	317	329
600	490	255	267	612	301	315	769	339	353
700	572	268	282	714	316	332	897	361	378
800	654	281	297	816	330	349	1 026	383	402
900	735	293	311	918	345	366	1 154	406	426
1 000	817	306	326	1 020	360	383	1 282	428	451
1 100	899	319	341	1 122	375	400	1 410	450	475
1 200	980	331	355	1 224	390	417	1 538	472	500
1 300	1 062	344	370	1 326	404	435	1 667	494	524
1 400	1 144	357	385	1 428	419	452	1 795	516	548
1 500	1 226	369	399	1 530	434	469	1 923	538	573
1 600	1 307	382	414	1 632	449	486	2 051	560	597
1 700	1 389	395	429	1 734	464	503	2 179	582	622
1 800	1 471	408	443	1 836	478	520	2 308	604	646
1 900	1 552	420	458	1 938	493	537	2 436	626	671
2 000	1 634	433	473	2 040	508	554	2 564	649	695
2 200	1 797	458	502	2 244	538	589	2 820	693	744
2 400	1 961	484	531	2 448	567	623	3 077	737	793
2 600	2 124	509	561	2 652	597	657	3 333	781	841
2 800	2 288	534	590	2 856	626	691	3 590	825	890
3 000	2 451	560	619	3 060	656	725	3 846	870	939
3 200	2 614	585	649	3 264	685	760	4 102	914	988
3 400	2 778	610	678	3 468	715	794	4 359	958	1 037
3 600	2 941	636	707	3 672	745	828	4 615	1 002	1 085
3 800	3 105	661	736	3 876	774	862	4 872	1 046	1 134
4 000	3 268	686	766	4 080	804	896	5 128	1 090	1 183
4 200	3 431	712	795	4 284	833	931	5 384	1 135	1 232
4 400	3 595	737	824	4 488	863	965	5 641	1 179	1 281
4 600	3 758	762	854	4 692	892	999	5 897	1 223	1 330
4 800	3 922	788	883	4 896	922	1 033	6 154	1 267	1 378
5 000	4 085	813	912	5 100	952	1 068	6 410	1 311	1 427
5 200	4 248	838	942	5 304	981	1 102	6 666	1 356	1 476
5 400	4 412	864	971	5 508	1 011	1 136	6 923	1 400	1 525
5 600	4 575	889	1 000	5 712	1 040	1 170	7 179	1 444	1 574
5 800	4 739	915	1 030	5 916	1 070	1 204	7 436	1 488	1 622
6 000	4 902	940	1 059	6 120	1 100	1 239	7 692	1 532	1 671





									
Модель	DH77-2			DH77-2L14			DH77-2L63		
Высота Н (мм)	813			813			813		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	42,4			44,6			52,5		
Φ _с ΔТ 50К (Ватт/м)	1431			1612			1891		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	716	550	564	806	585	599	946	621	635
600	859	576	593	967	614	631	1 135	659	676
700	1 002	602	622	1 128	644	664	1 324	697	716
800	1 145	628	650	1 290	674	696	1 513	735	757
900	1 288	654	679	1 451	704	728	1 702	773	798
1 000	1 431	680	708	1 612	733	761	1 891	811	839
1 100	1 574	706	737	1 773	763	793	2 080	849	879
1 200	1 717	732	765	1 934	793	826	2 269	887	920
1 300	1 860	758	794	2 096	822	858	2 458	925	961
1 400	2 003	784	823	2 257	852	891	2 647	963	1 002
1 500	2 147	810	851	2 418	882	923	2 837	1 001	1 042
1 600	2 290	836	880	2 579	912	956	3 026	1 039	1 083
1 700	2 433	862	909	2 740	941	988	3 215	1 077	1 124
1 800	2 576	888	938	2 902	971	1 021	3 404	1 115	1 165
1 900	2 719	914	966	3 063	1 001	1 053	3 593	1 153	1 205
2 000	2 862	940	995	3 224	1 030	1 086	3 782	1 191	1 246
2 200	3 148	992	1 052	3 546	1 090	1 150	4 160	1 267	1 327
2 400	3 434	1 044	1 110	3 869	1 149	1 215	4 538	1 343	1 409
2 600	3 721	1 096	1 167	4 191	1 209	1 280	4 917	1 419	1 490
2 800	4 007	1 147	1 225	4 514	1 268	1 345	5 295	1 495	1 572
3 000	4 293	1 199	1 282	4 836	1 328	1 410	5 673	1 571	1 653
3 200	4 579	1 251	1 339	5 158	1 387	1 475	6 051	1 647	1 735
3 400	4 865	1 303	1 397	5 481	1 446	1 540	6 429	1 723	1 816
3 600	5 152	1 355	1 454	5 803	1 506	1 605	6 808	1 799	1 898
3 800	5 438	1 407	1 512	6 126	1 565	1 670	7 186	1 875	1 979
4 000	5 724	1 459	1 569	6 448	1 625	1 735	7 564	1 951	2 061
4 200	6 010	1 511	1 627	6 770	1 684	1 800	7 942	2 027	2 142
4 400	6 296	1 563	1 684	7 093	1 743	1 865	8 320	2 102	2 224
4 600	6 583	1 615	1 741	7 415	1 803	1 930	8 699	2 178	2 305
4 800	6 869	1 666	1 799	7 738	1 862	1 995			
5 000	7 155	1 718	1 856	8 060	1 922	2 060			
5 200	7 441	1 770	1 914	8 382	1 981	2 124			
5 400	7 727	1 822	1 971	8 705	2 041	2 189			
5 600	8 014	1 874	2 028	9 027	2 100	2 254			
5 800	8 300	1 926	2 086						
6 000									





									
Модель	DH77-2L63-2			DH77-2L14-3			DH77-2L63-3		
Высота Н (мм)	813			813			813		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	654			136			654		
Вес за метр (кг / м)	57,5			59,5			65,6		
Φ _s ΔT 50K (Ватт/м)	2033			2332			2420		
Длина L [мм]	Φ _s ΔT 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔT 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔT 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	1 017	662	676	1 166	705	730	1 210	729	753
600	1 220	706	723	1 399	750	779	1 452	779	808
700	1 423	750	769	1 632	795	829	1 694	829	863
800	1 626	793	815	1 866	840	878	1 936	879	918
900	1 830	837	861	2 099	884	928	2 178	930	973
1 000	2 033	880	908	2 332	929	978	2 420	980	1 028
1 100	2 236	924	954	2 565	974	1 027	2 662	1 030	1 083
1 200	2 440	967	1 000	2 798	1 018	1 077	2 904	1 080	1 138
1 300	2 643	1 011	1 046	3 032	1 063	1 126	3 146	1 130	1 194
1 400	2 846	1 054	1 093	3 265	1 108	1 176	3 388	1 181	1 249
1 500	3 050	1 098	1 139	3 498	1 153	1 225	3 630	1 231	1 304
1 600	3 253	1 141	1 185	3 731	1 197	1 275	3 872	1 281	1 359
1 700	3 456	1 185	1 231	3 964	1 242	1 325	4 114	1 331	1 414
1 800	3 659	1 228	1 278	4 198	1 287	1 374	4 356	1 381	1 469
1 900	3 863	1 272	1 324	4 431	1 332	1 424	4 598	1 432	1 524
2 000	4 066	1 315	1 370	4 664	1 376	1 473	4 840	1 482	1 579
2 200	4 473	1 402	1 463	5 130	1 466	1 573	5 324	1 582	1 689
2 400	4 879	1 489	1 555	5 597	1 555	1 672	5 808	1 683	1 799
2 600	5 286	1 576	1 648	6 063	1 645	1 771	6 292	1 783	1 909
2 800	5 692	1 663	1 740	6 530	1 734	1 870	6 776	1 883	2 019
3 000	6 099	1 750	1 833	6 996	1 823	1 969	7 260	1 984	2 129
3 200	6 506	1 837	1 925	7 462	1 913	2 068	7 744	2 084	2 240
3 400	6 912	1 924	2 018	7 929	2 002	2 168	8 228	2 185	2 350
3 600	7 319	2 011	2 110	8 395	2 092	2 267	8 712	2 285	2 460
3 800	7 725	2 098	2 203	8 862	2 181	2 366	9 196	2 385	2 570
4 000	8 132	2 185	2 296	9 328	2 271	2 465			
4 200	8 539	2 272	2 388	9 794	2 360	2 564			
4 400									
4 600									
4 800									
5 000									
5 200									
5 400									
5 600									
5 800									
6 000									





									
Модель	DH84			DH84L14			DH84L63		
Высота Н (мм)	887			887			887		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	23,1			25,5			33,4		
Φ _с ΔТ 50К (Ватт/м)	886			1084			1347		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	443	260	270	542	303	314	674	334	346
600	532	274	286	650	319	332	808	357	371
700	620	288	302	759	334	351	943	380	396
800	709	301	317	867	350	369	1 078	403	422
900	797	315	333	976	366	387	1 212	426	447
1 000	886	329	349	1 084	382	405	1 347	449	472
1 100	975	343	365	1 192	397	423	1 482	472	498
1 200	1 063	357	381	1 301	413	441	1 616	495	523
1 300	1 152	371	396	1 409	429	459	1 751	518	549
1 400	1 240	384	412	1 518	445	477	1 886	541	574
1 500	1 329	398	428	1 626	460	495	2 021	564	599
1 600	1 418	412	444	1 734	476	513	2 155	588	625
1 700	1 506	426	459	1 843	492	531	2 290	611	650
1 800	1 595	440	475	1 951	507	549	2 425	634	675
1 900	1 683	453	491	2 060	523	567	2 559	657	701
2 000	1 772	467	507	2 168	539	585	2 694	680	726
2 200	1 949	495	538	2 385	570	621	2 963	726	777
2 400	2 126	522	570	2 602	602	658	3 233	772	827
2 600	2 304	550	602	2 818	633	694	3 502	818	878
2 800	2 481	578	633	3 035	665	730	3 772	864	929
3 000	2 658	605	665	3 252	696	766	4 041	910	980
3 200	2 835	633	696	3 469	728	802	4 310	956	1 030
3 400	3 012	660	728	3 686	759	838	4 580	1 002	1 081
3 600	3 190	688	760	3 902	791	874	4 849	1 048	1 132
3 800	3 367	716	791	4 119	822	910	5 119	1 094	1 183
4 000	3 544	743	823	4 336	854	947	5 388	1 141	1 233
4 200	3 721	771	854	4 553	885	983	5 657	1 187	1 284
4 400	3 898	799	886	4 770	917	1 019	5 927	1 233	1 335
4 600	4 076	826	917	4 986	948	1 055	6 196	1 279	1 385
4 800	4 253	854	949	5 203	980	1 091	6 466	1 325	1 436
5 000	4 430	881	981	5 420	1 011	1 127	6 735	1 371	1 487
5 200	4 607	909	1 012	5 637	1 043	1 163	7 004	1 417	1 538
5 400	4 784	937	1 044	5 854	1 074	1 199	7 274	1 463	1 588
5 600	4 962	964	1 075	6 070	1 106	1 235	7 543	1 509	1 639
5 800	5 139	992	1 107	6 287	1 137	1 272	7 813	1 555	1 690
6 000	5 316	1 019	1 139	6 504	1 169	1 308	8 082	1 601	1 740





									
Модель	DH84-2			DH84-2L14			DH84-2L63		
Высота Н (мм)	887			887			887		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	46,1			48,4			56,3		
Φ _{ΔT} 50K (Ватт/м)	1548			1726			2003		
Длина L [мм]	Φ _{ΔT} 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _{ΔT} 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _{ΔT} 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	774	586	600	863	621	635	1 002	657	671
600	929	615	631	1 036	653	670	1 202	698	714
700	1 084	643	662	1 208	685	704	1 402	738	757
800	1 238	671	693	1 381	717	739	1 602	778	800
900	1 393	699	724	1 553	749	774	1 803	818	843
1 000	1 548	727	755	1 726	781	808	2 003	858	886
1 100	1 703	756	786	1 899	813	843	2 203	898	929
1 200	1 858	784	817	2 071	844	878	2 404	939	972
1 300	2 012	812	848	2 244	876	912	2 604	979	1 015
1 400	2 167	840	879	2 416	908	947	2 804	1 019	1 058
1 500	2 322	868	910	2 589	940	981	3 005	1 059	1 100
1 600	2 477	896	941	2 762	972	1 016	3 205	1 099	1 143
1 700	2 632	925	971	2 934	1 004	1 051	3 405	1 139	1 186
1 800	2 786	953	1 002	3 107	1 036	1 085	3 605	1 180	1 229
1 900	2 941	981	1 033	3 279	1 068	1 120	3 806	1 220	1 272
2 000	3 096	1 009	1 064	3 452	1 100	1 155	4 006	1 260	1 315
2 200	3 406	1 066	1 126	3 797	1 163	1 224	4 407	1 340	1 401
2 400	3 715	1 122	1 188	4 142	1 227	1 293	4 807	1 421	1 487
2 600	4 025	1 178	1 250	4 488	1 291	1 363	5 208	1 501	1 573
2 800	4 334	1 235	1 312	4 833	1 355	1 432	5 608	1 581	1 658
3 000	4 644	1 291	1 374	5 178	1 418	1 501	6 009	1 662	1 744
3 200	4 954	1 347	1 436	5 523	1 482	1 570	6 410	1 742	1 830
3 400	5 263	1 404	1 497	5 868	1 546	1 640	6 810	1 822	1 916
3 600	5 573	1 460	1 559	6 214	1 610	1 709	7 211	1 903	2 002
3 800	5 882	1 516	1 621	6 559	1 674	1 778	7 611	1 983	2 088
4 000	6 192	1 573	1 683	6 904	1 737	1 848	8 012	2 063	2 173
4 200	6 502	1 629	1 745	7 249	1 801	1 917	8 413	2 143	2 259
4 400	6 811	1 686	1 807	7 594	1 865	1 986	8 813	2 224	2 345
4 600	7 121	1 742	1 869	7 940	1 929	2 056			
4 800	7 430	1 798	1 931	8 285	1 992	2 125			
5 000	7 740	1 855	1 993	8 630	2 056	2 194			
5 200	8 050	1 911	2 054						
5 400	8 359	1 967	2 116						
5 600									
5 800									
6 000									





									
Модель	DH84-2L63-2			DH84-2L14-3			DH84-2L63-3		
Высота Н (мм)	887			887			887		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	654			136			654		
Вес за метр (кг / м)	61,4			63,3			69,5		
Φ _Δ Т 50К (Ватт/м)	2133			2423			2513		
Длина L [мм]	Φ _Δ Т 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Δ Т 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _Δ Т 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	1 067	699	713	1 212	742	766	1 257	765	789
600	1 280	745	761	1 454	788	818	1 508	817	846
700	1 493	790	810	1 696	835	869	1 759	869	903
800	1 706	836	858	1 938	882	921	2 010	921	960
900	1 920	882	906	2 181	928	972	2 262	974	1 017
1 000	2 133	927	955	2 423	975	1 024	2 513	1 026	1 074
1 100	2 346	973	1 003	2 665	1 022	1 075	2 764	1 078	1 131
1 200	2 560	1 018	1 051	2 908	1 068	1 127	3 016	1 130	1 188
1 300	2 773	1 064	1 100	3 150	1 115	1 178	3 267	1 182	1 245
1 400	2 986	1 110	1 148	3 392	1 162	1 230	3 518	1 234	1 302
1 500	3 200	1 155	1 196	3 635	1 208	1 281	3 770	1 286	1 359
1 600	3 413	1 201	1 245	3 877	1 255	1 333	4 021	1 338	1 416
1 700	3 626	1 246	1 293	4 119	1 302	1 384	4 272	1 391	1 473
1 800	3 839	1 292	1 342	4 361	1 348	1 436	4 523	1 443	1 530
1 900	4 053	1 338	1 390	4 604	1 395	1 487	4 775	1 495	1 587
2 000	4 266	1 383	1 438	4 846	1 442	1 539	5 026	1 547	1 644
2 200	4 693	1 474	1 535	5 331	1 535	1 642	5 529	1 651	1 758
2 400	5 119	1 566	1 632	5 815	1 628	1 745	6 031	1 755	1 872
2 600	5 546	1 657	1 728	6 300	1 722	1 848	6 534	1 860	1 986
2 800	5 972	1 748	1 825	6 784	1 815	1 951	7 036	1 964	2 100
3 000	6 399	1 839	1 922	7 269	1 908	2 054	7 539	2 068	2 214
3 200	6 826	1 930	2 019	7 754	2 001	2 157	8 042	2 172	2 328
3 400	7 252	2 022	2 115	8 238	2 095	2 260	8 544	2 277	2 442
3 600	7 679	2 113	2 212	8 723	2 188	2 363			
3 800	8 105	2 204	2 309	9 207	2 281	2 466			
4 000	8 532	2 295	2 405						
4 200									
4 400									
4 600									
4 800									
5 000									
5 200									
5 400									
5 600									
5 800									
6 000									





									
Модель	DH91			DH91L14			DH91L63		
Высота Н (мм)	961			961			961		
Глубина Т (мм)	41			59			59		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	25,0			27,4			35,3		
Φ _с ΔТ 50K (Ватт/м)	954			1147			1408		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	477	277	287	574	320	331	704	351	363
600	572	292	304	688	336	350	845	375	389
700	668	307	321	803	353	369	986	399	415
800	763	322	338	918	370	388	1 126	423	441
900	859	337	355	1 032	386	407	1 267	447	468
1 000	954	352	372	1 147	403	426	1 408	471	494
1 100	1 049	367	389	1 262	420	445	1 549	495	520
1 200	1 145	382	406	1 376	437	464	1 690	519	547
1 300	1 240	397	423	1 491	453	483	1 830	543	573
1 400	1 336	412	440	1 606	470	502	1 971	567	599
1 500	1 431	427	457	1 721	487	521	2 112	591	626
1 600	1 526	442	474	1 835	503	540	2 253	615	652
1 700	1 622	457	491	1 950	520	559	2 394	639	678
1 800	1 717	472	508	2 065	537	578	2 534	663	705
1 900	1 813	487	525	2 179	553	597	2 675	687	731
2 000	1 908	502	541	2 294	570	616	2 816	711	757
2 200	2 099	532	575	2 523	603	654	3 098	759	810
2 400	2 290	562	609	2 753	637	692	3 379	807	862
2 600	2 480	592	643	2 982	670	730	3 661	855	915
2 800	2 671	621	677	3 212	704	768	3 942	903	968
3 000	2 862	651	711	3 441	737	806	4 224	951	1 020
3 200	3 053	681	745	3 670	770	844	4 506	999	1 073
3 400	3 244	711	779	3 900	804	882	4 787	1 047	1 126
3 600	3 434	741	813	4 129	837	920	5 069	1 095	1 178
3 800	3 625	771	846	4 359	870	958	5 350	1 143	1 231
4 000	3 816	801	880	4 588	904	997	5 632	1 191	1 284
4 200	4 007	831	914	4 817	937	1 035	5 914	1 239	1 336
4 400	4 198	861	948	5 047	971	1 073	6 195	1 287	1 389
4 600	4 388	891	982	5 276	1 004	1 111	6 477	1 335	1 441
4 800	4 579	921	1 016	5 506	1 037	1 149	6 758	1 383	1 494
5 000	4 770	950	1 050	5 735	1 071	1 187	7 040	1 431	1 547
5 200	4 961	980	1 084	5 964	1 104	1 225	7 322	1 479	1 599
5 400	5 152	1 010	1 117	6 194	1 137	1 263	7 603	1 527	1 652
5 600	5 342	1 040	1 151	6 423	1 171	1 301	7 885	1 575	1 705
5 800	5 533	1 070	1 185	6 653	1 204	1 339	8 166	1 623	1 757
6 000	5 724	1 100	1 219	6 882	1 238	1 377	8 448	1 671	1 810





									
Модель	DH91-2			DH91-2L14			DH91-2L63		
Высота Н (мм)	961			961			961		
Глубина Т (мм)	90			90			90		
Высота оребрения (мм)	-			136			654		
Вес за метр (кг / м)	49,9			52,2			60,1		
Φ _с ΔТ 50К (Ватт/м)	1664			1841			2114		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	832	622	636	921	657	671	1 057	694	708
600	998	653	669	1 105	692	708	1 268	736	753
700	1 165	683	702	1 289	726	745	1 480	779	798
800	1 331	713	735	1 473	760	782	1 691	821	843
900	1 498	744	769	1 657	794	819	1 903	863	888
1 000	1 664	774	802	1 841	828	855	2 114	906	933
1 100	1 830	805	835	2 025	862	892	2 325	948	978
1 200	1 997	835	868	2 209	896	929	2 537	990	1 023
1 300	2 163	865	901	2 393	930	966	2 748	1 033	1 068
1 400	2 330	896	934	2 577	964	1 003	2 960	1 075	1 114
1 500	2 496	926	968	2 762	998	1 040	3 171	1 117	1 159
1 600	2 662	957	1 001	2 946	1 032	1 076	3 382	1 160	1 204
1 700	2 829	987	1 034	3 130	1 066	1 113	3 594	1 202	1 249
1 800	2 995	1 018	1 067	3 314	1 100	1 150	3 805	1 244	1 294
1 900	3 162	1 048	1 100	3 498	1 135	1 187	4 017	1 287	1 339
2 000	3 328	1 078	1 134	3 682	1 169	1 224	4 228	1 329	1 384
2 200	3 661	1 139	1 200	4 050	1 237	1 297	4 651	1 414	1 474
2 400	3 994	1 200	1 266	4 418	1 305	1 371	5 074	1 499	1 565
2 600	4 326	1 261	1 333	4 787	1 373	1 445	5 496	1 583	1 655
2 800	4 659	1 322	1 399	5 155	1 441	1 518	5 919	1 668	1 745
3 000	4 992	1 382	1 465	5 523	1 509	1 592	6 342	1 753	1 835
3 200	5 325	1 443	1 532	5 891	1 578	1 666	6 765	1 837	1 926
3 400	5 658	1 504	1 598	6 259	1 646	1 739	7 188	1 922	2 016
3 600	5 990	1 565	1 664	6 628	1 714	1 813	7 610	2 007	2 106
3 800	6 323	1 626	1 731	6 996	1 782	1 887	8 033	2 091	2 196
4 000	6 656	1 687	1 797	7 364	1 850	1 960	8 456	2 176	2 286
4 200	6 989	1 747	1 863	7 732	1 918	2 034			
4 400	7 322	1 808	1 930	8 100	1 986	2 108			
4 600	7 654	1 869	1 996	8 469	2 055	2 181			
4 800	7 987	1 930	2 062						
5 000	8 320	1 991	2 129						
5 200									
5 400									
5 600									
5 800									
6 000									




									
Модель	DH91-2L63-2			DH91-2L14-3			DH91-2L63-3		
Высота Н (мм)	961			961			961		
Глубина Т (мм)	90			125			125		
Высота оребрения (мм)	654			136			654		
Вес за метр (кг / м)	65,2			67,2			73,4		
Φ _Л ΔТ 50K (Ватт/м)	2228			2509			2603		
Длина L [мм]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	1 114	736	750	1 255	778	803	1 302	802	826
600	1 337	783	800	1 505	827	856	1 562	856	885
700	1 560	831	850	1 756	875	909	1 822	910	944
800	1 782	879	901	2 007	924	963	2 082	964	1 003
900	2 005	927	951	2 258	973	1 016	2 343	1 018	1 062
1 000	2 228	974	1 002	2 509	1 021	1 070	2 603	1 072	1 120
1 100	2 451	1 022	1 052	2 760	1 070	1 123	2 863	1 126	1 179
1 200	2 674	1 070	1 103	3 011	1 118	1 177	3 124	1 180	1 238
1 300	2 896	1 117	1 153	3 262	1 167	1 230	3 384	1 234	1 297
1 400	3 119	1 165	1 204	3 513	1 215	1 283	3 644	1 288	1 356
1 500	3 342	1 213	1 254	3 764	1 264	1 337	3 905	1 342	1 415
1 600	3 565	1 261	1 305	4 014	1 313	1 390	4 165	1 396	1 474
1 700	3 788	1 308	1 355	4 265	1 361	1 444	4 425	1 450	1 533
1 800	4 010	1 356	1 406	4 516	1 410	1 497	4 685	1 504	1 592
1 900	4 233	1 404	1 456	4 767	1 458	1 551	4 946	1 558	1 651
2 000	4 456	1 451	1 506	5 018	1 507	1 604	5 206	1 612	1 710
2 200	4 902	1 547	1 607	5 520	1 604	1 711	5 727	1 720	1 827
2 400	5 347	1 642	1 708	6 022	1 701	1 818	6 247	1 829	1 945
2 600	5 793	1 738	1 809	6 523	1 798	1 925	6 768	1 937	2 063
2 800	6 238	1 833	1 910	7 025	1 896	2 032	7 288	2 045	2 181
3 000	6 684	1 928	2 011	7 527	1 993	2 138	7 809	2 153	2 299
3 200	7 130	2 024	2 112	8 029	2 090	2 245	8 330	2 261	2 416
3 400	7 575	2 119	2 213	8 531	2 187	2 352	8 850	2 369	2 534
3 600	8 021	2 215	2 314	9 032	2 284	2 459			
3 800	8 466	2 310	2 415						
4 000									
4 200									
4 400									
4 600									
4 800									
5 000									
5 200									
5 400									
5 600									
5 800									
6 000									






									
Модель	DH98			DH98-2			DH105		
Высота Н (мм)	1035			1035			1109		
Глубина Т (мм)	41			90			41		
Высота оребрения (мм)	-			-			-		
Вес за метр (кг / м)	26,9			53,6			28,8		
Φ _L ΔТ 50К (Ватт/м)	1023			1780			1092		
Длина L [мм]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	512	295	305	890	658	672	546	312	322
600	614	311	323	1 068	691	707	655	329	341
700	716	327	341	1 246	723	743	764	347	360
800	818	343	359	1 424	756	778	874	364	380
900	921	359	377	1 602	789	813	983	381	399
1 000	1 023	375	395	1 780	821	849	1 092	398	418
1 100	1 125	391	413	1 958	854	884	1 201	415	437
1 200	1 228	407	431	2 136	887	920	1 310	433	457
1 300	1 330	423	449	2 314	919	955	1 420	450	476
1 400	1 432	440	467	2 492	952	990	1 529	467	495
1 500	1 535	456	485	2 670	984	1 026	1 638	484	514
1 600	1 637	472	504	2 848	1 017	1 061	1 747	502	533
1 700	1 739	488	522	3 026	1 050	1 097	1 856	519	553
1 800	1 841	504	540	3 204	1 082	1 132	1 966	536	572
1 900	1 944	520	558	3 382	1 115	1 167	2 075	553	591
2 000	2 046	536	576	3 560	1 148	1 203	2 184	570	610
2 200	2 251	568	612	3 916	1 213	1 274	2 402	605	649
2 400	2 455	600	648	4 272	1 278	1 344	2 621	639	687
2 600	2 660	633	684	4 628	1 343	1 415	2 839	674	725
2 800	2 864	665	720	4 984	1 409	1 486	3 058	708	764
3 000	3 069	697	757	5 340	1 474	1 557	3 276	743	802
3 200	3 274	729	793	5 696	1 539	1 627	3 494	777	841
3 400	3 478	761	829	6 052	1 605	1 698	3 713	811	879
3 600	3 683	793	865	6 408	1 670	1 769	3 931	846	917
3 800	3 887	826	901	6 764	1 735	1 840	4 150	880	956
4 000	4 092	858	937	7 120	1 800	1 911	4 368	915	994
4 200	4 297	890	973	7 476	1 866	1 981	4 586	949	1 033
4 400	4 501	922	1 010	7 832	1 931	2 052	4 805	984	1 071
4 600	4 706	954	1 046	8 188	1 996	2 123	5 023	1 018	1 109
4 800	4 910	986	1 082				5 242	1 053	1 148
5 000	5 115	1 019	1 118				5 460	1 087	1 186
5 200	5 320	1 051	1 154				5 678	1 121	1 225
5 400	5 524	1 083	1 190				5 897	1 156	1 263
5 600	5 729	1 115	1 226				6 115	1 190	1 301
5 800	5 933	1 147	1 263				6 334	1 225	1 340
6 000	6 138	1 180	1 299				6 552	1 259	1 378






									
Модель	DH105-2			DH112			DH112-2		
Высота Н (мм)	1109			1183			1183		
Глубина Т (мм)	90			41			90		
Высота оребрения (мм)	-			-			-		
Вес за метр (кг / м)	57,4			30,7			61,3		
Φ _{ΔT} 50K (Ватт/м)	1896			1161			2013		
Длина L [мм]	Φ _{ΔT} 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _{ΔT} 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _{ΔT} 50K [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	948	694	708	581	330	340	1 007	730	743
600	1 138	729	745	697	348	360	1 208	767	783
700	1 327	764	783	813	366	380	1 409	804	823
800	1 517	798	821	929	385	401	1 610	841	863
900	1 706	833	858	1 045	403	421	1 812	878	903
1 000	1 896	868	896	1 161	421	441	2 013	915	943
1 100	2 086	903	933	Mil	440	462	2 214	952	983
1 200	2 275	938	971	1 393	458	482	2 416	989	1 022
1 300	2 465	973	1 009	1 509	476	502	2 617	1 026	1 062
1 400	2 654	1 008	1 046	1 625	495	523	2 818	1 063	1 102
1 500	2 844	1 043	1 084	1 742	513	543	3 020	1 101	1 142
1 600	3 034	1 077	1 121	1 858	532	563	3 221	1 138	1 182
1 700	3 223	1 112	1 159	1 974	550	584	3 422	1 175	1 222
1 800	3 413	1 147	1 197	2 090	568	604	3 623	1 212	1 261
1 900	3 602	1 182	1 234	2 206	587	624	3 825	1 249	1 301
2 000	3 792	1 217	1 272	2 322	605	645	4 026	1 286	1 341
2 200	4 171	1 287	1 347	2 554	642	685	4 429	1 360	1 421
2 400	4 550	1 356	1 422	2 786	678	726	4 831	1 434	1 500
2 600	4 930	1 426	1 498	3 019	715	767	5 234	1 508	1 580
2 800	5 309	1 496	1 573	3 251	752	807	5 636	1 583	1 660
3 000	5 688	1 566	1 648	3 483	789	848	6 039	1 657	1 740
3 200	6 067	1 635	1 723	3 715	825	889	6 442	1 731	1 819
3 400	6 446	1 705	1 799	3 947	862	930	6 844	1 805	1 899
3 600	6 826	1 775	1 874	4 180	899	970	7 247	1 879	1 979
3 800	7 205	1 844	1 949	4 412	935	1 011	7 649	1 953	2 058
4 000	7 584	1 914	2 024	4 644	972	1 052	8 052	2 028	2 138
4 200	7 963	1 984	2 100	4 876	1 009	1 092			
4 400				5 108	1 046	1 133			
4 600				5 341	1 082	1 174			
4 800				5 573	1 119	1 214			
5 000				5 805	1 156	1 255			
5 200				6 765	1 193	1 296			
5 400				7 025	1 229	1 336			
5 600				7 286	1 266	1 377			
5 800				7 546	1 303	1 418			
6 000				7 806	1 339	1 459			






									
Модель	DH119			DH119-2			DH126		
Высота Н (мм)	1257			1257			1331		
Глубина Т (мм)	41			90			41		
Высота оребрения (мм)	-			-			-		
Вес за метр (кг / м)	32,6			65,2			34,4		
Φ _L ΔТ 50К (Ватт/м)	1231			2129			1301		
Длина L [мм]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	616	347	357	1 065	766	780	651	364	374
600	739	366	378	1 277	805	822	781	385	397
700	862	386	400	1 490	844	864	911	406	420
800	985	405	421	1 703	884	906	1 041	426	442
900	1 108	425	443	1 916	923	948	1 171	447	465
1 000	1 231	444	464	2 129	962	990	1 301	468	487
1 100	1 354	464	486	2 342	1 002	1 032	1 431	488	510
1 200	1 477	483	507	2 555	1 041	1 074	1 561	509	533
1 300	1 600	503	529	2 768	1 080	1 116	1 691	529	555
1 400	1 723	522	550	2 981	1 120	1 158	1 821	550	578
1 500	1 847	542	572	3 194	1 159	1 200	1 952	571	601
1 600	1 970	561	593	3 406	1 198	1 242	2 082	591	623
1 700	2 093	581	615	3 619	1 238	1 284	2 212	612	646
1 800	2 216	600	636	3 832	1 277	1 326	2 342	633	668
1 900	2 339	620	658	4 045	1 316	1 369	2 472	653	691
2 000	2 462	639	679	4 258	1 356	1 411	2 602	674	714
2 200	2 708	678	722	4 684	1 434	1 495	2 862	715	759
2 400	2 954	717	765	5 110	1 513	1 579	3 122	756	804
2 600	3 201	756	808	5 535	1 591	1 663	3 383	798	849
2 800	3 447	795	851	5 961	1 670	1 747	3 643	839	895
3 000	3 693	834	894	6 387	1 749	1 831	3 903	880	940
3 200	3 939	873	937	6 813	1 827	1 916	4 163	922	985
3 400	4 185	912	980	7 239	1 906	2 000	4 423	963	1 030
3 600	4 432	951	1 023	7 664	1 985	2 084	4 684	1 004	1 076
3 800	4 678	990	1 066	8 090	2 063	2 168	4 944	1 045	1 121
4 000	4 924	1 029	1 109				5 204	1 087	1 166
4 200	5 170	1 068	1 152				5 464	1 128	1 211
4 400	5 416	1 107	1 195				5 724	1 169	1 257
4 600	5 663	1 146	1 238				5 985	1 211	1 302
4 800	5 909	1 185	1 280				6 245	1 252	1 347
5 000	6 155	1 224	1 323				6 505	1 293	1 392
5 200	6 401	1 263	1 366				6 765	1 334	1 438
5 400	6 647	1 302	1 409				7 025	1 376	1 483
5 600	6 894	1 341	1 452				7 286	1 417	1 528
5 800	7 140	1 380	1 495				7 546	1 458	1 573
6 000	7 386	1 419	1 538				7 806	1 499	1 619

									
Модель	DH126-2			DH133			DH133-2		
Высота Н (мм)	1331			1405			1405		
Глубина Т (мм)	90			41			90		
Высота оребрения (мм)	-			-			-		
Вес за метр (кг / м)	69,2			36,3			73,1		
Φ _s ΔТ 50К (Ватт/м)	2246			1371			2363		
Длина L [мм]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	1 123	801	815	686	382	392	1 182	837	851
600	1 348	843	860	823	403	415	1 418	881	898
700	1 572	885	904	960	425	439	1 654	925	944
800	1 797	926	948	1 097	447	463	1 890	969	991
900	2 021	968	992	1 234	469	487	2 127	1 012	1 037
1 000	2 246	1 009	1 037	1 371	490	510	2 363	1 056	1 084
1 100	2 471	1 051	1 081	1 508	512	534	2 599	1 100	1 130
1 200	2 695	1 092	1 125	1 645	534	558	2 836	1 144	1 177
1 300	2 920	1 134	1 170	1 782	556	582	3 072	1 187	1 223
1 400	3 144	1 175	1 214	1 919	578	605	3 308	1 231	1 270
1 500	3 369	1 217	1 258	2 057	599	629	3 545	1 275	1 316
1 600	3 594	1 258	1 302	2 194	621	653	3 781	1 319	1 363
1 700	3 818	1 300	1 347	2 331	643	677	4 017	1 363	1 409
1 800	4 043	1 341	1 391	2 468	665	700	4 253	1 406	1 456
1 900	4 267	1 383	1 435	2 605	686	724	4 490	1 450	1 502
2 000	4 492	1 425	1 480	2 742	708	748	4 726	1 494	1 549
2 200	4 941	1 508	1 568	3 016	752	795	5 199	1 581	1 642
2 400	5 390	1 591	1 657	3 290	795	843	5 671	1 669	1 735
2 600	5 840	1 674	1 745	3 565	839	890	6 144	1 757	1 828
2 800	6 289	1 757	1 834	3 839	882	938	6 616	1 844	1 921
3 000	6 738	1 840	1 923	4 113	926	985	7 089	1 932	2 014
3 200	7 187	1 923	2 011	4 387	969	1 033	7 562	2 019	2 107
3 400	7 636	2 006	2 100	4 661	1 013	1 081	8 034	2 107	2 200
3 600	8 086	2 089	2 188	4 936	1 057	1 128			
3 800				5 210	1 100	1 176			
4 000				5 484	1 144	1 223			
4 200				5 758	1 187	1 271			
4 400				6 032	1 231	1 318			
4 600				6 307	1 274	1 366			
4 800				6 581	1 318	1 413			
5 000				6 855	1 361	1 461			
5 200				7 129	1 405	1 508			
5 400				7 403	1 448	1 556			
5 600				7 678	1 492	1 603			
5 800				7 952	1 536	1 651			
6 000				8 226	1 579	1 698			






						
Модель	DH140			DH140-2		
Высота Н (мм)	1479			1479		
Глубина Т (мм)	41			90		
Высота оребрения (мм)	-			-		
Вес за метр (кг / м)	38,2			77,0		
Φ _с ΔТ 50К (Ватт/м)	1442			2481		
Длина L [мм]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _с ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	721	399	409	1 241	873	887
600	865	422	434	1 489	919	936
700	1 009	445	459	1 737	965	984
800	1 154	468	484	1 985	1 011	1 033
900	1 298	491	509	2 233	1 057	1 082
1 000	1 442	514	533	2 481	1 103	1 131
1 100	1 586	536	558	2 729	1 149	1 179
1 200	1 730	559	583	2 977	1 195	1 228
1 300	1 875	582	608	3 225	1 241	1 277
1 400	2 019	605	633	3 473	1 287	1 326
1 500	2 163	628	658	3 722	1 333	1 374
1 600	2 307	651	683	3 970	1 379	1 423
1 700	2 451	674	708	4 218	1 425	1 472
1 800	2 596	697	733	4 466	1 471	1 521
1 900	2 740	720	757	4 714	1 517	1 569
2 000	2 884	743	782	4 962	1 563	1 618
2 200	3 172	788	832	5 458	1 655	1 716
2 400	3 461	834	882	5 954	1 747	1 813
2 600	3 749	880	932	6 451	1 839	1 911
2 800	4 038	926	982	6 947	1 931	2 008
3 000	4 326	972	1 031	7 443	2 023	2 106
3 200	4 614	1 018	1 081	7 939	2 115	2 203
3 400	4 903	1 063	1 131			
3 600	5 191	1 109	1 181			
3 800	5 480	1 155	1 230			
4 000	5 768	1 201	1 280			
4 200	6 056	1 247	1 330			
4 400	6 345	1 292	1 380			
4 600	6 633	1 338	1 430			
4 800	6 922	1 384	1 479			
5 000	7 210	1 430	1 529			
5 200	7 498	1 476	1 579			
5 400	7 787	1 521	1 629			
5 600	8 075	1 567	1 678			
5 800	8 364	1 613	1 728			
6 000	8 652	1 659	1 778			






									
Модель		DV60		DV60L		DV60-2		DV80	
Высота Н (мм)		600		600		600		800	
Глубина Т (мм)		41		59		90		41	
Вес элемента (кг / el)		1,3		1,6		2,5		1,6	
$\Phi_L \Delta T 50K$ (Ватт/el)		46		65		77		59	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	92	95	130	252	154	412	118	101
221	3	138	114	195	275	231	449	177	122
295	4	184	132	260	298	308	486	236	142
369	5	230	150	325	321	385	523	295	163
443	6	276	168	390	344	462	560	354	183
517	7	322	187	455	368	539	597	413	204
591	8	368	205	520	391	616	634	472	224
665	9	414	223	585	414	693	671	531	244
739	10	460	241	650	437	770	708	590	265
813	11	506	260	715	460	847	746	649	285
887	12	552	278	780	483	924	783	708	306
961	13	598	296	845	506	1 001	820	767	326
1 035	14	644	314	910	529	1 078	857	826	347
1 109	15	690	333	975	552	1 155	894	885	367
1 183	16	736	351	1 040	575	1 232	931	944	388
1 257	17	782	369	1 105	598	1 309	968	1 003	408
1 331	18	828	387	1 170	621	1 386	1 005	1 062	429
1 405	19	874	405	1 235	645	1 463	1 042	1 121	449
1 479	20	920	424	1 300	668	1 540	1 079	1 180	469






									
Модель		DV80L		DV80-2		DV100		DV100L	
Высота Н (мм)		800		800		1000		1000	
Глубина Т (мм)		59		90		41		59	
Вес элемента (кг / el)		2,1		3,2		1,9		2,7	
$\Phi_L \Delta T 50K$ (Ватт/el)		83		100		72		102	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	166	264	200	420	144	107	204	275
221	3	249	290	300	460	216	130	306	305
295	4	332	317	400	501	288	152	408	335
369	5	415	344	500	541	360	175	510	366
443	6	498	370	600	582	432	198	612	396
517	7	581	397	700	622	504	220	714	426
591	8	664	423	800	663	576	243	816	456
665	9	747	450	900	703	648	265	918	486
739	10	830	476	1 000	744	720	288	1 020	516
813	11	913	503	1 100	784	792	311	1 122	546
887	12	996	530	1 200	824	864	333	1 224	576
961	13	1 079	556	1 300	865	936	356	1 326	606
1 035	14	1 162	583	1 400	905	1 008	379	1 428	636
1 109	15	1 245	609	1 500	946	1 080	401	1 530	666
1 183	16	1 328	636	1 600	986	1 152	424	1 632	696
1 257	17	1 411	662	1 700	1 027	1 224	446	1 734	727
1 331	18	1 494	689	1 800	1 067	1 296	469	1 836	757
1 405	19	1 577	716	1 900	1 107	1 368	492	1 938	787
1 479	20	1 660	742	2 000	1 148	1 440	514	2 040	817




									
Модель		DV100-2		DV120		DV120L		DV120-2	
Высота Н (мм)		1000		1200		1200		1200	
Глубина Т (мм)		90		41		59		90	
Вес элемента (кг / el)		3,8		2,3		3,3		4,5	
$\Phi_L \Delta T 50K$ (Ватт/el)		121		85		120		142	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	242	428	170	113	240	287	284	437
221	3	363	472	255	138	360	320	426	485
295	4	484	516	340	162	480	354	568	532
369	5	605	560	425	187	600	388	710	580
443	6	726	604	510	212	720	421	852	627
517	7	847	647	595	237	840	455	994	675
591	8	968	691	680	262	960	488	1 136	722
665	9	1 089	735	765	287	1 080	522	1 278	770
739	10	1 210	779	850	312	1 200	555	1 420	817
813	11	1 331	823	935	336	1 320	589	1 562	864
887	12	1 452	867	1 020	361	1 440	622	1 704	912
961	13	1 573	911	1 105	386	1 560	656	1 846	959
1 035	14	1 694	955	1 190	411	1 680	689	1 988	1 007
1 109	15	1 815	999	1 275	436	1 800	723	2 130	1 054
1 183	16	1 936	1 043	1 360	461	1 920	757	2 272	1 102
1 257	17	2 057	1 086	1 445	486	2 040	790	2 414	1 149
1 331	18	2 178	1 130	1 530	510	2 160	824	2 556	1 197
1 405	19	2 299	1 174	1 615	535	2 280	857	2 698	1 244
1 479	20	2 420	1 218	1 700	560	2 400	891	2 840	1 291









Модель		DV140		DV140L		DV140-2		DV160	
Высота Н (мм)		1400		1400		1400		1600	
Глубина Т (мм)		41		59		90		41	
Вес элемента (кг / el)		2,6		3,8		5,2		2,9	
$\Phi_{\text{L}} \Delta T 50K$ (Ватт/el)		98		137		162		112	
Длина L [мм]	Длина [эл]	$\Phi_{\text{s}} \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_{\text{s}} \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_{\text{s}} \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_{\text{s}} \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	196	119	274	299	324	449	224	124
221	3	294	146	411	336	486	500	336	154
295	4	392	173	548	373	648	551	448	183
369	5	490	200	685	410	810	602	560	212
443	6	588	227	822	447	972	653	672	241
517	7	686	254	959	484	1 134	703	784	271
591	8	784	281	1 096	521	1 296	754	896	300
665	9	882	308	1 233	558	1 458	805	1 008	329
739	10	980	335	1 370	595	1 620	856	1 120	358
813	11	1 078	362	1 507	632	1 782	907	1 232	388
887	12	1 176	389	1 644	669	1 944	958	1 344	417
961	13	1 274	416	1 781	706	2 106	1 009	1 456	446
1 035	14	1 372	443	1 918	743	2 268	1 060	1 568	475
1 109	15	1 470	470	2 055	780	2 430	1 111	1 680	505
1 183	16	1 568	497	2 192	817	2 592	1 161	1 792	534
1 257	17	1 666	524	2 329	854	2 754	1 212	1 904	563
1 331	18	1 764	552	2 466	891	2 916	1 263	2 016	593
1 405	19	1 862	579	2 603	929	3 078	1 314	2 128	622
1 479	20	1 960	606	2 740	966	3 240	1 365	2 240	651




									
Модель		DV160L		DV160-2		DV180		DV180L	
Высота Н (мм)		1600		1600		1800		1800	
Глубина Т (мм)		59		90		41		59	
Вес элемента (кг / el)		4,4		5,9		3,2		5,0	
$\Phi_L \Delta T 50K$ (Ватт/el)		154		182		125		170	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	308	310	364	463	250	130	340	321
221	3	462	350	546	518	375	162	510	365
295	4	616	391	728	574	500	193	680	409
369	5	770	431	910	629	625	225	850	453
443	6	924	472	1 092	685	750	256	1 020	497
517	7	1 078	512	1 274	740	875	288	1 190	541
591	8	1 232	553	1 456	796	1 000	319	1 360	585
665	9	1 368	593	1 638	851	1 125	351	1 530	629
739	10	1 540	634	1 820	907	1 250	382	1 700	673
813	11	1 694	674	2 002	962	1 375	414	1 870	717
887	12	1 848	714	2 184	1 018	1 500	445	2 040	760
961	13	2 002	755	2 366	1 073	1 625	477	2 210	804
1 035	14	2 156	795	2 548	1 129	1 750	508	2 380	848
1 109	15	2 310	836	2 730	1 184	1 875	540	2 550	892
1 183	16	2 464	876	2 912	1 240	2 000	571	2 720	936
1 257	17	2 618	917	3 094	1 295	2 125	603	2 890	980
1 331	18	2 772	957	3 276	1 351	2 250	634	3 060	1 024
1 405	19	2 926	998	3 458	1 406	2 375	665	3 230	1 068
1 479	20	3 080	1 038	3 640	1 462	2 500	697	3 400	1 112

									
Модель		DV180-2		DV200		DV200L		DV200-2	
Высота Н (мм)		1800		200		2000		2000	
Глубина Т (мм)		90		41		59		90	
Вес элемента (кг / el)		6,6		3,5		5,5		7,2	
$\Phi_L \Delta T 50K$ (Ватт/el)		200		139		187		226	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	400	478	278	136	374	334	452	493
221	3	600	538	417	170	561	382	678	558
295	4	800	598	556	203	748	429	904	622
369	5	1 000	658	695	237	935	477	1 130	687
443	6	1 200	718	834	271	1 122	524	1 356	752
517	7	1 400	778	973	304	1 309	572	1 582	817
591	8	1 600	838	1 112	338	1 496	619	1 808	881
665	9	1 800	899	1 251	371	1 683	666	2 034	946
739	10	2 000	959	1 390	405	1 870	714	2 260	1 011
813	11	2 200	1 019	1 529	439	2 057	761	2 486	1 076
887	12	2 400	1 079	1 668	472	2 244	809	2 712	1 140
961	13	2 600	1 139	1 807	506	2 431	856	2 938	1 205
1 035	14	2 800	1 199	1 946	540	2 618	904	3 164	1 270
1 109	15	3 000	1 259	2 085	573	2 805	951	3 390	1 335
1 183	16	3 200	1 319	2 224	607	2 992	999	3 616	1 399
1 257	17	3 400	1 380	2 363	641	3 179	1 046	3 842	1 464
1 331	18	3 600	1 440	2 502	674	3 366	1 093	4 068	1 529
1 405	19	3 800	1 500	2 641	708	3 553	1 141	4 294	1 594
1 479	20	4 000	1 560	2 780	741	3 740	1 188	4 520	1 658

									
Модель		DV220		DV220L		DV220-2		DV240	
Высота Н (мм)		2200		2200		2200		2400	
Глубина Т (мм)		41		59		90		41	
Вес элемента (кг / el)		3,9		6,0		7,8		4,2	
$\Phi_L \Delta T 50K$ (Ватт/el)		153		203		252		168	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	306	142	406	347	504	509	336	148
221	3	459	178	609	398	756	578	504	186
295	4	612	214	812	449	1 008	648	672	224
369	5	765	249	1 015	500	1 260	717	840	262
443	6	918	285	1 218	551	1 512	786	1 008	300
517	7	1 071	321	1 421	602	1 764	856	1 176	338
591	8	1 224	357	1 624	652	2 016	925	1 344	376
665	9	1 377	393	1 827	703	2 268	994	1 512	414
739	10	1 530	429	2 030	754	2 520	1 064	1 680	452
813	11	1 683	465	2 233	805	2 772	1 133	1 848	490
887	12	1 836	500	2 436	856	3 024	1 202	2 016	528
961	13	1 989	536	2 639	907	3 276	1 272	2 184	566
1 035	14	2 142	572	2 842	958	3 528	1 341	2 352	604
1 109	15	2 295	608	3 045	1 009	3 780	1 410	2 520	642
1 183	16	2 448	644	3 248	1 060	4 032	1 480	2 688	680
1 257	17	2 601	680	3 451	1 110	4 284	1 549	2 856	718
1 331	18	2 754	716	3 654	1 161	4 536	1 618	3 024	756
1 405	19	2 907	751	3 857	1 212	4 788	1 688	3 192	794
1 479	20	3 060	787	4 060	1 263	5 040	1 757	3 360	832


					
Модель		DV240L		DV240-2	
Высота Н (мм)		2400		2400	
Глубина Т (мм)		59		90	
Вес элемента (кг / el)		6,6		8,4	
$\Phi_L \Delta T 50K$ (Ватт/el)		219		277	
Длина L [мм]	Длина [эл]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена [Евро]
147	2	438	359	554	525
221	3	657	413	831	599
295	4	876	467	1 108	673
369	5	1 095	522	1 385	747
443	6	1 314	576	1 662	821
517	7	1 533	631	1 939	895
591	8	1 752	685	2 216	969
665	9	1 971	739	2 493	1 043
739	10	2 190	794	1 770	1 117
813	11	2 409	848	3 047	1 191
887	12	2 628	902	3 324	1 265
961	13	2 847	957	3 601	1 339
1 035	14	3 066	1 011	3 878	1 413
1 109	15	3 285	1 066	4 155	1 487
1 183	16	3 504	1 120	4 432	1 561
1 257	17	3 723	1 174	4 709	1 635
1 331	18	3 942	1 229	4 986	1 709
1 405	19	4 161	1 283	5 263	1 783
1 479	20	4 380	1 338	5 540	1 857

Виды подключений	Цена в Евро	
	G3/8" G1/2"	G3/4"
	0	44
	0	44
	0	44
	46	90
	46	90
	61	105
	98	-
	122	-

Виды подключений	Цена в Евро	
	G1/2"	G3/4"
	20	-
	20	-
	-	22
	-	143

Виды подключений	Цена в Евро
N69/89 ТВВ	141
N96/98 ТВВ	242
с фронтальным термостатическим вентилем	
N69/89 ТВВ	133
N96/98 ТВВ	237


Приварная водопроводящая полка









Обозначение	Цена в Евро
HB1	130
HB2	260
HB3	390


Повышенное давление

6 bar	+5%
10 bar	+10%



Виды подключений	Цена в Евро	
	G3/8" G1/2"	G3/4"
	0	44
		
	0	44
		
	19	63
		
	33	77
		
	42	86
		
	46	90
		
	46	90
		
	98	142
		
	69	113
		

Виды подключений	Цена в Евро	
	G3/8" G1/2"	G3/4"
	28	72
		
	61	105
		
	122	-
		

Виды подключений	Цена в Евро	
	G1/2"	G3/4"
	20	-
		
	20	-
		
	-	22
		
	-	143

Виды подключений Цена в Евро

N69/89 ТВВ 141

N96/98 ТВВ 242

N96/98 ТВН 288

с фронтальным термостатическим вентилем

N69/89 ТВВ 176

N96/98 ТВВ 277

Повышенное давление

6 bar +5%

10 bar +10%

Приварная водопроводящая полка

Обозначение

Цена в Евро

НВ1 130

НВ2 260

НВ3 390

